


HIGH PERFORMANCE PARTS AND ACCESSORIES
FOR ALL THE MOTORCYCLE LOVERS

DAYTONA JAPAN



2021-2022

DAYTONA



DAYTONA CORPORATION

4805 Ichimiya, Mori-machi,
Shuchi-gun, Shizuoka, 437-0226, Japan
<https://daytona-europe.com>

Message from the president



DAYTONA was established in 1972 and ever since then, we have been trying to create rider-friendly products by pursuing the needs of riders and understanding how to provide them with enjoyable riding conditions.

The R&D team is made up of motorcycle enthusiasts who are always aiming at developing needed products to support riders.

DAYTONA is a top brand name in Japan, assisted by many customers and suppliers.

We hope that all motorcycle lovers around the world would have a chance to use our products and experience what we are able to create.

Truly yours,


Tetsu, Tetsuji Oda

VELONA-W



#89364



Two Needles
(SPEED & RPM)



200km/h (MPH)



0-9,000rpm



0-99,999.9km (mile)



1 & 2, 0-99,999.9km (mile)




DC 10.0-16.0V



Memory & Recall



Indicators



- Stainless-steel housing
- Incl. V-shaped bracket

VELONA80



#87790
[200]

#87789
[140]



#87791
[260]



140/200/260 km/h (MPH)



0-20,000rpm



0-99,999.9km (mile)



1 & 2, 0-99,999.9km (mile)



DC 10.0-18.0V



Memory & Recall



with Red LED lamp



Indicators



#87792
[9000]



0-399km/h (0-260MPH)



9000rpm / 15000rpm



0-99,999km/h(mile)



1 & 2, 0-99,999.9km (mile)



DC 10.0-18.0V



Memory & Recall




with Red LED lamp



Indicators




#87793
[15000]



- Stainless-steel housing
- Incl. V-shaped bracket

VELONA60

■ **SPEED** (km/h or MPH) 



#88641
[140]



#88642
[200]



#88643
[260]



#86863
[200]



★
#85833
[200]



#86861
[260]



★
#86267
[260]

■ **RPM**



#88644
[9000]



#88645
[15000]



#88677
[15000]



#86864
[8000]



★
#85835
[8000]



#87527
[15000]



#86862
[18000]

													Indicators
88641 88642 88643	○	○	○	○	○								○
86863 85833 86861 86267	○	○	○	○		○							
88644 88645 88677				○			○	○	○				
86864 85835 87527 86862						○	○	○		○	○	○	

★ CHROME case


VELONA48



■ SPEED

-  140/200/260 km/h (MPH)
-  0-99,999.9km (mile)
-  1 & 2, 0-99,999.9km (mile)
-  DC 10.0-18.0V
-  Memory & Recall
-  Changeable backlit
White / Blue / Orange

3-colors backlit



- Stainless-steel housing
- Incl. V-shaped bracket



#87383
[140]



#87386
[200]

#87389
[260]

■ RPM

-  9000rpm / 15000rpm
-  DC 10.0-18.0V
-  Memory & Recall
-  with Red LED lamp
-  Changeable backlit
White / Blue / Orange



#87392
[9000]




#87395
[15000]

Digital VELONA



-  SPEED & RPM
-  0-399km/h (0-250MPH)
-  0-20,000rpm
-  0-99,999km(mile)
-  1 & 2, 0-9,999.9km(mile)
-  RPM bar-scale
programmable



- Stainless-steel housing
- Incl. V-shaped bracket



#85836

VELONA Options

■Remote Switch



#87047

Operates VELONA gauges remotely instead of pressing bottom buttons.

- For $\Phi 22.2/25.4$ mm handlebars
- Wiring outside or inside handlebar possible
- Max. current capacity 50mA
- Width 12mm

■Bracket of VELONA80, VELONA60



#80203



- mount pitch adjustable 63-112mm

■Combinative Brackets for VELONA48



#87768



#87785



■Combinative Brackets for VELONA60



#87404



#87403



■Anti-vibration Brackets for VELONA60



#61197



#63526



#63527



#63528

■CNC Bezel Kit for VELONA60



#63529



#85819 SILVER



Changes the face of VELONA60!

Optional Speed Sensor & Accessories

■Speed Pulse Converters



Dia10 insert

TRIUMPH, HONDA,
BMW etc.
Wire length : 1280mm

#87755



Dia18 plug connection

YAMAHA SR400/500
etc.
Wire length : 1280mm

#87041



Dia15 insert

HONDA, SUZUKI etc.
Wire length : 1800mm

#87143



M12 thread female

YAMAHA, SUZUKI,
DUCATI, MOTO GUZZI
etc.
Wire length : 1200mm

#87429



For BMW

BMW boxer models
Wire length : 700mm

R65, R80, R100,
R100GS

#88457



Universal

Wire length : 650mm

OEM
SPEEDOMETER CABLE

#87430

■Proximity Speed Sensor



"Non-contact" type speed sensor,
can generate electrical pulse signal from most vehicles.

Wire length : 2000mm

#87038

■Temp Sensor (R1/8)



for ASURA, VELONA

Wire length : 1000mm

#84851



for VELONA

Wire length : 1000mm

#80228

NEW

■RPM Induction Wire Set



For easy detection of
RPM pulse connecting
to spark plug wire or
to ignition coil

#87170

■RPM Pulse Rectifier



For cases
that RPM pulse cannot
be detected well or
RPM signal is unstable

#92333

Multifunction Cockpit


■DEVA 



#89363



 0-399km/h or 0-250MPH	 0-10,000 or 20,000rpm
 0-99,999.9km (mile)	 RPM bar-scale 10,000/20,000rpm
 1&2, 0-9999.9km (mile)	 Memory & Recall
 0-99,999.9km (mile) Set start from any value	 Bar-graph blinking
 Memory & Recall	 Fuel Gauge (100Ω,250Ω,510Ω)
 8.0-18.0V	 0°C ~ +150°C (+32°F ~ +356°F)
 Low Battery Warning	 0°C ~ +150°C (+32°F ~ +356°F)
 12h or 24h	 -10°C ~ +60°C (+14°F ~ +140°F)



- ABS housing
- Incl. stainless-steel bracket
- Incl. magnetic speed sensor

Option



#89845
Handle clamp kit



#89846
Oil temp sensor



#89847
Air temp sensor

■ASURA 




#84787 BLACK



#84580 SILVER

 0-399km/h or 0-250MPH	 0-20,000rpm
 0-99,999.9km (mile)	 1&2, 0-999.9km (mile)
 -10°C ~ +60°C (+14°F ~ +140°F)	 40°C ~ +200°C (+104°F ~ +392°F)
 Memory & Recall	 Memory & Recall
 12h or 24h	 Fuel Gauge
 Low Battery Warning	 Oil Changing Time Notification
 TURN SIGNAL	 NEUTRAL
 HIGH BEAM	 OIL PRESSURE

- ABS housing
- Incl. clamp for Φ22.2/25.4/31.8mm handlebars
- Incl. magnetic speed sensor



NANO I

- 40(W)x60(L)x17.6(D)mm
- Without backlit
- Coin cell driven (CR2032)
- Unit detachable

■ SPEED



#85998



- 0-300km/h or 0-188MPH
- 0-99,999.9km (mile)
- 0-99,999.9km (mile)
- 12h
- Low Battery Warning

※ Incl. magnetic speed sensor

■ TEMP



#85995



- 0°C ~ +270°C
(+32° F ~ +518° F)
- 0°C ~ +60°C
(+32° F ~ +140° F)
- 12h
- Memory & Recall
- Low Battery Warning

※ Incl. R1/8 sensor

NANO II

- 40(W)x60(L)x22(D)mm
- White LED backlit
- Work on DC12V
- Clamp for Φ22.2/25.4mm handlebars

■ SPEED



#86596

■ RPM



#86719

■ GEAR



#86533

- 0-399km/h or 0-250MPH
- 0-999,999km (mile)
- 1 & 2, 0-99,999.9km(mile)
- 12h
- Memory & Recall

※ Incl. magnetic speed sensor

- 0-20,000rpm
- Resettable & Non-resettable,
0-9,999.9hours
- 12h
- Memory & Recall

- N, 1, 2, 3, 4, 5, 6, 7, 8
Top 4/5/6/7/8 selectable
- Bar-graph blinking

• Option accessories are on page 5

Compact Gauge Series

■Oil Temp Meter



#89278




-9°C ~ 150°C



High/Low temp alert
by Red LED backlight
when higher than 120°C /
lower than 5°C

- 25(W) x 42(L) x 10.8(D)mm
- White LED backlight
- Waterproof (IPX7)
- Incl. R1/8 sensor



■Volt Meter



#89279



7.5 ~ 18.0V



Low voltage alert
by Red LED backlight
when less than 12V

- 25(W) x 42(L) x 10.8(D)mm
- White LED backlight
- Waterproof (IPX7)

■Wireless Hour Meter



#80072




0-999,999 hours 59minutes

- 36(W) x 57(L) x 17.3(D)mm
- No wiring connection required
- The battery included inside cannot be replaced
- Battery life approx. 4years
- Waterproof (IP68)

LED Micro Indicator

■ALPHA




Body : ABS
Clamp : CNC Aluminum for $\Phi 22.2/25.4$ mm handlebars
Indicators : With plain LED lamps



Horizontal Installation




Vertical Installation



※Real scale

■BETA



※Real scale


Body : CNC Aluminum
Bracket : SUS
Indicators : With symbols

D-Mirror-11


■ABS housing & aluminum stem



#80715 LEFT (cowl type)
#80716 RIGHT (cowl type)



#80719 LEFT
#80720 RIGHT




D-Mirror-12


■ABS housing & aluminum stem



#80717 LEFT (cowl type)
#80718 RIGHT (cowl type)



#80721 LEFT
#80722 RIGHT



D-Mirror-3/4/5

■Aluminum Housing & Stem



#89428




#89430



#89474



#89429



#89431



#89475



D-Mirror-6/7/8

■ Aluminum Housing & Stem



#89722 (SHORT)



#89723 (LONG)



#89726 (SHORT)



#89727 (LONG)



#89730 (SHORT)



#89731 (LONG)



■ Aluminum Housing & Steel Stem



#89724 (RIGHT)



#89725 (LEFT)



#89728 (RIGHT)



#89729 (LEFT)



#89732 (RIGHT)



#89733 (LEFT)



D-Mirror-9/10

■ABS housing & aluminum stem



#89813 SHORT



#89814 LONG



■ABS housing & steel stem



#89815



■ABS housing & aluminum stem



#89816



#89817



■ABS housing & steel stem



#89818



D-Mirror-1



#87051 RIGHT



#87050 LEFT




#87053 RIGHT



#87052 LEFT


Bar End Adapters

■KAWASAKI




#89444

■SUZUKI




#89443

■YAMAHA-1




#89441

■YAMAHA-2



#89442

■UNIVERSAL



#89440

■Mirror Hole Plug Bolt



SIZE	RHS	LHS
RED	#99794	#99795
BLUE	#99796	#99797
GOLD	#99798	#99799
GREEN	#99800	#99801
SILVER	#99614	#99615
BLACK	#99616	#99617
TITANIUM	#99618	#99619



■Adapter for HD



#87303

Headlight


■CAPSULE120



- LED headlight
- Steel housing
- Dia. 120mm lens
- Front Position Lamp (ring)


SIDE-MOUNT

#88633 BLACK
#88634 CHROME



BOTTOM-MOUNT

#88635 BLACK
#88636 CHROME




■NEO VINTAGE




- LED headlight
- Steel housing
- 5-3/4" (146mm) lens
- Daytime Running Light (center-bar)
- Front Position Lamp (ring)
- With a hole for $\Phi 60$ mm gauge installation

#88431 BLACK
#88432 CHROME



■VINTAGE



- Steel housing
- 5-3/4" (146mm) lens
- H4 12V 60/55W bulb with T10 5W position light
- With a hole for $\Phi 60$ mm gauge installation

#86903
RHS, BLACK

#86904
RHS, CHROME

#87357
RHS, BLACK & BLACK




#86982
U-shape bracket
for installation of VELONA60

Headlight Brackets

■Dual-axis Adjustable Type

**COMING IN
2022 SPRING**

#80725 for Φ35mm
 #80726 for Φ39mm
 #80727 for Φ41mm
 #80728 for Φ49mm

● Material : CNC aluminum


■Modern Type



#88622 for Φ35mm
 #88623 for Φ39mm
 #88624 for Φ41mm
 #88625 for Φ43mm
 #88626 for Φ49mm

#88617 for Φ35mm
 #88618 for Φ39mm
 #88619 for Φ41mm
 #88620 for Φ43mm
 #88621 for Φ49mm

● Material : CNC aluminum



SHORT

LONG

■Retro Type



#86941 for Φ39mm
 #86942 for Φ41mm

● Material : Steel



Sequential LED Indicator


■D-Light STELLAR-2




#10000



- Aluminum body
- M8 bolt installation
- ECE approved for front and rear
- Sequential lighting




■D-Light STELLAR



#88266



- Aluminum body
- M8 bolt installation
- ECE approved for front and rear
- Sequential lighting




■D-Light RAY



#89273



- Aluminum body
- M8 bolt installation
- ECE approved for front and rear
- Sequential lighting



LED Indicator


■D-Light SOL







- Aluminum body
- M8 bolt installation
- ECE approved for front and rear




■D-Light SOL-W







- Aluminum body
- M8 bolt installation
- ECE approved for rear indicator and stop & tail
- 3 in 1




■D-Light







- Aluminum body
- M8 bolt installation
- ECE approved for front and rear



Options for Direction Indicator

■Fork Clamp for Indicator Mount



- For M8 indicator
- CNC aluminum
- Inside groove for hidden wiring



#89855 Φ35mm	#89856 Φ39mm	#89857 Φ41mm	#89858 Φ43mm	#89859 Φ47mm
#89860 Φ48mm	#89861 Φ49mm	#89862 Φ53mm	#89863 Φ57mm	#89864 Φ59mm

■Mounting Plates

#97238 HONDA	#97420 YAMAHA, KAWASAKI	#97398 SUZUKI	#97399 SUZUKI
#97235 KAWASAKI	#86963 SUZUKI	#86964 SUZUKI	#86965 KAWASAKI
#86987 HONDA	#86988 YAMAHA	#86989 YAMAHA	#86994

■Adapter Collar M10

IC Relay

■For both LED & bulb



#88985

- Power : DC8-16V (regular 12V)
- Power range : 0.1 ~ 100W
- Size : 38×28.4×17.5mm
- Flashes : 85 count/minutes
- Incl. convertible connector (2P→3P)
- CE approved

■For hazard & position

- Power : DC8-16V (regular 12V)
- Power range : 0.1~100W
- Size : 38×28.4×17.5mm
- Flashes : 85 count/minutes
- CE approved



#89460

■8P for HONDA, hazard & position & ESS



#89658

- Power : DC8-16V (regular 12V)
- Power range : 0.1~100W
- Direction flashes : 85 count/minutes
- Hazard flashes : 85 count/minutes
- ESS flashes : 220 count/minutes
- CE approved


LED License Plate Lamp



#88857



- ECE approved 



License Number Plate Holder (Germany)





#89854

- Aluminum
- Anodized black
- For German number plate 180x200



ON / OFF Switch Series

■Slim Type



#88159 Flat Seesaw Type



#88160 Toggle Type

- Max. current 15A (12V-180W, 6V-90W)
- For $\Phi 22.2/25.4$ mm handlebars
- Housing material: nylon
- Wire length: 800mm

■For H4 Headlight



#88162 Flat Seesaw Type



- Max. current 15A (12V-180W, 6V-90W)
- For $\Phi 22.2/25.4$ mm handlebars
- Housing material: nylon
- For H4 bulb only
- Wire length: 900mm

■Handle Clamp Type



#71780 BLACK



#19172 YELLOW

- For $\Phi 22.2$ mm handlebars
- Size : 50×24×20mm
- 12V/6V
- 100W
- Wire length: 1000mm
- Mounting at flat space using double-sided tape possible

■Slide Type



#71779 BLACK



#40440 YELLOW

- Size : 20×35×17mm
- (12V-180W, 6V-90W)
- 12V/6V
- 100W
- Wire length: 800mm

Smartphone Holder

■SMARTPHONE HOLDER 3



#80218 RIGID TYPE (bolt-mount clamp)

#80219 DETACHABLE (quick-release clamp)

- Width adjustable 55 ~ 85mm
- Length adjustable 123 ~ 170mm
- Depth for 6 ~ 18mm
- Weight for up to 300g
- Clamp for $\Phi 22 \sim 29$ mm handlebars

DETACHABLE
(quick-release clamp)



RIGID TYPE
(bolt-mount clamp)

■SMARTPHONE HOLDER 1



#87963 RIGID TYPE (bolt-mount clamp)

#87964 DETACHABLE (quick-release clamp)

- Width adjustable 55 ~ 85mm
- Length adjustable 110 ~ 147mm
※using additional arm : over 153mm possible
- Depth for 6 ~ 18mm
- Weight for up to 300g
- Clamp for $\Phi 22 \sim 29$ mm handlebars



USB Power Supply


■ [TYPE-C] series



#80399
USB "TYPE-C" × 1port

NEW

- For USB PD (Power Delivery)
- Input : DC12V
- Output : 5V/3A, 9V/2A, 12V/1.5A
- Max : 18W
- Powers on with ignition key



#80399




#80400
Slim-mount USB "TYPE-C" × 1 port

NEW

- For USB PD (Power Delivery)
- Input : DC12V
- Output : 5V/3A, 9V/2A, 12V/1.5A
- Max : 18W
- For 22.2mm/ 25.4mm handlebars
- Powers on with ignition key



#80400



■ [TYPE-A] series




#89371
Slim-mount USB "TYPE-A" × 1 port

- Input : DC12V
- Output : DC5V
- Rated current : 2.4A
- Housing : ABS resins
- For 22.2mm/ 25.4mm handlebars
- Powers on with ignition key



#89372
Slim-mount USB "TYPE-A" × 2 port

- Input : DC12V
- Output : DC5V
- Rated current : 2.4A × 2 port
- Housing : ABS resins
- For 22.2mm/ 25.4mm handlebars
- Powers on with ignition key





- #80729
USB "TYPE-A" × 1port
- Input : DC12V
 - Output : DC5V
 - Rated current : 2.4A
 - Powers on with ignition key



- #80730
USB "TYPE-A" × 2 port
- Input : DC12V
 - Output : DC5V
 - Rated current : 2.4A × 2 port
 - Powers on with ignition key



■ USB Cable for Motorcycle



NEW

- #80468 TYPE-C to TYPE-C
- #80469 TYPE-C to Lightning
- #80470 TYPE-A to TYPE-C
- #80471 TYPE-A to Lightning
- L-shaped
- Wire length : 20cm
- 18W (5V/3A, 9V/2A, 12V/1.5A)
- #80469 & #80471 with MFi approval

■ Smartphone DIRECT Charging Cable



NEW

- #15644 TYPE-C
- #15645 Lightning
- L-shaped
- Wire length : 800mm (from Connector to connector)
- LED lamp
- Powers on with ignition key
- #15645 with MFi approval

POWER

DAYTONA "DIRECT" charging cable



Mount Bar Holder

- Creates space for smartphone, navigation, USB power supply or switch etc.
- Bar diameter 22.2mm

■Master Cylinder Clamp Type



- #92746 BLACK,100mm #77435 BLACK,155mm
#92745 CHROME,100mm #77434 CHROME,155mm

■Master Cylinder Clamp Flat Type



- #92801 BLACK,100mm #92802 CHROME,100mm

■Handle Clamp Type



- #92748 BLACK,100mm #77437 BLACK,155mm
#92747 CHROME,100mm #77436 CHROME,155mm

■Mirror Clamp Type



- #78031 BLACK,100mm #78030 CHROME,100mm

Free Combination Handle Brace



Adapter bar : 50mm / 100mm
Bar : L150mm / L200mm / L250mm

Clamp

For	Bar			Clamp Φ22.2mm	Adapter bar	
	150mm	200mm	250mm		50mm	100mm
RED	#99421	#99427	#99433	#99440	#99469	#99463
BLUE	#99422	#99428	#99434	#99441	#99470	#99464
GOLD	#99423	#99429	#99435	#99442	#99471	#99465
GREEN	#99424	#99430	#99436	#99443	#99472	#99466
SILVER	#99425	#99431	#99437	#99444	#99473	#99467
BLACK	#99426	#99432	#99438	#99445	#99474	#99468

Handlebar Bracket



#97253



#98516



#77791





- Aluminum handle clamp bracket
- For $\Phi 22.2\text{mm}$ handlebar
- Plate 40 x 40mm
- Angle adjustable





- ABS handle clamp bracket
- For $\Phi 22.2/25.4\text{mm}$ handlebars
- Plate 34 x 35mm

■Type A





- #68452 : M8, 7/8" (22.2mm)
- #68458 : M8, 1" (25.42mm)
- #68455 : M10, 7/8" (22.2mm)
- #68461 : M10, 1" (25.42mm)

■Type B



- #68453 : M8, 7/8" (22.2mm)
- #68459 : M8, 1" (25.42mm)
- #68456 : M10, 7/8" (22.2mm)
- #68462 : M10, 1" (25.42mm)

■Type C



- #68454 : M8, 7/8" (22.2mm)
- #68460 : M8, 1" (25.42mm)
- #68457 : M10, 7/8" (22.2mm)
- #68463 : M10, 1" (25.42mm)

Heated Grips

■Built-in Switch



#89820
4-level Heat Control
For Φ22.2mm (7/8") motorcycles
Open end

★Battery Protection

※ automatically turned off
when voltage is less than 12V



#88640
4-level Heat Control
For Φ22.2mm (7/8") motorcycles
Open end

Outside
temperature 20℃

Orange

LEVEL 4

97℃ (35W)

Yellow

LEVEL 3

90℃ (32W)

White

LEVEL 2

85℃ (26W)

Blue

LEVEL 1

70℃ (19W)



■3-level Heat Control



#88019
For $\Phi 25.4\text{mm}$ (1")
Closed end



#88020
For Harley Davidson (96UP, 08UP)
Closed end

■4-level Heat Control



#88987 For $\Phi 22.2\text{mm}$ (7/8")
Open end



#86610 For $\Phi 25.4\text{mm}$ (1")
Closed end

#88988 For ATVs
Open end

■Spare Switch



#86983 orange button



#89650 black button w/clamp kit

■2-level Heat Control



#86607 For $\Phi 22.2\text{mm}$ (7/8")
Closed end

#86608 For ATVs
Closed end



#24050 Spare switch

■Thumb warmer



#89875
For ATV Heated Grips (#88988)

Grip Warmer




#80583

NEW

- 12V
- Size : 105×95mm
- ON/OFF switch
- Wrap type

***Easy mount on grip!
Only use when cold!***



GrippyGrip

■GGD-LINE [for $\Phi 22.2\text{mm}$]



#88658 RED



#88659 BLUE



#88660 GREEN



#88661 YELLOW



#88769 GRAY

■GGD-CELL [for $\Phi 22.2\text{mm}$]



#88669 RED



#88670 BLUE



#88671 GREEN



#88673 DARK GREEN



#88672 GRAY

■GGD-KATANA [for $\Phi 22.2\text{mm}$]



#88573 RED



#88574 BLUE



#88575 GREEN



#88579 WHITE



#88576 GRAY

■GGD-BASE [for $\Phi 22.2\text{mm}$]



#88217 BLACK



#88218
GRAY



#88219
BROWN

■GGD-NAMI [for $\Phi 22.2\text{mm}$]



#88561 BLACK



#88562
BROWN



#88563
DARK RED

■GGD-SAKURA [for $\Phi 22.2\text{mm}$]



#88942 BLACK



#88943
GRAY



#88944
CARAMEL



#88945
PINK



#88946
WHITE

■GGD-AMI [for $\Phi 22.2\text{mm}$]



#88569 BLACK



#88613
GRAY



#88570
BROWN



#88614
DARK BLUE



#88615
DARK GREEN



#88571
DARK RED

Grippy Grip™

■GGD-KANI [for $\Phi 22.2\text{mm}$]



#88937 BLACK



#88938 GRAY



#88939 BROWN



#88940 CARAMEL

■GGD-NINJA [for $\Phi 22.2\text{mm}$]



#88663 BLACK



#88664 GRAY



#88665 BROWN



#88666 DARK RED

■GGD-DELTA [for $\Phi 22.2\text{mm}$]



#88565 BLACK



#88566 BROWN



#88567 DARK RED



■GGDI-BASE [for $\Phi 25.4\text{mm}$]



#89746

■GGDI-KAWA [for $\Phi 25.4\text{mm}$]



#89747

■GGDI-ARC1 [for $\Phi 25.4\text{mm}$]



#88667

■GGDI-ARC3 [for $\Phi 25.4\text{mm}$]



#88675

■GGDI-OCTA [for $\Phi 25.4\text{mm}$]



#88674

■Display Stand for GrippyGrip



#88964 • 300×445×150mm
• Steel, 2.8kg

■Grip Spacer



#80561

- Material : Neoprene
- O.D. : 50mm
- I.D. : 22 or 26mm
- Thickness : 5mm
- 2pcs/set



NEW



↓ fills the gap

CNC Accessories

■Master Cylinder Cap, Front for KAWASAKI Z650, Z900



NEW

- #80634 GREEN
- #80635 BLACK

■Master Cylinder Cap, Rear



NEW

- #80636 GREEN
- #80637 BLACK
- Dia.42mm

■Oil Filler Cap



NEW

- #80638 GREEN
- #80639 BLACK
- M20×P2.5

■Oil Filler Cap




SIZE	M20× P2.5	M24× P3.0	M27× P1.5	M27× P3.0	M30× P1.5
RED	#98399	#98405	#98411	#98417	#98423
BLUE	#98400	#98406	#98412	#98418	#98424
GOLD	#98401	#98407	#98413	#98419	#98425
GREEN	#98402	#98408	#98414	#98420	#98426
SILVER	#98403	#98409	#98415	#98421	#98427
BLACK	#98404	#98410	#98416	#98422	#98428

■Swing arm Spool



SIZE	M6	M10
RED	#98375	#98387
BLUE	#98376	#98388
GOLD	#98377	#98389
GREEN	#98378	#98390
SILVER	#98379	#98391
BLACK	#98380	#98392

- 2pcs/set



Handlebar End Plug

■ "PINO-1"



- #99969 : RED
- #99970 : BLUE
- #99971 : CHAMPAGNE
- #99972 : GREEN
- #99973 : SILVER
- #99974 : BLACK

- For I.D. 14-19mm
- Outer Diameter 22mm

NEW

■ "PINO-2"



- #99975 : RED
- #99976 : BLUE
- #99977 : CHAMPAGNE
- #99978 : GREEN
- #99979 : SILVER
- #99980 : BLACK

- For I.D. 14-19mm
- Outer Diameter 22mm

NEW

■ "PINO-3"



- #99981 : RED
- #99982 : BLUE
- #99983 : CHAMPAGNE
- #99984 : GREEN
- #99985 : SILVER
- #99986 : BLACK

- For I.D. 14-19mm
- Outer Diameter 30mm

NEW

■ "TKM-2"



- #87331 : RED
- #87332 : BLUE
- #87334 : GREEN
- #87335 : SILVER
- #87336 : BLACK
- #88059 : ORANGE

- For I.D. 14-19mm
- Outer Diameter 30mm

■“BULLET”



#98369 : RED
 #98370 : BLUE
 #98371 : GOLD
 #98372 : GREEN
 #98373 : SILVER
 #98374 : BLACK

- For I.D. 14-19mm
- Outer Diameter 30mm

■“CANARD”



#99920 : RED
 #99921 : BLUE
 #99922 : CHAMPAGNE
 #99923 : GREEN
 #99924 : SILVER
 #99925 : BLACK

- For I.D. 14-19mm
- Outer Diameter 30mm

■“AERO”



#99914 : RED
 #99915 : BLUE
 #99916 : CHAMPAGNE
 #99917 : GREEN
 #99918 : SILVER
 #99919 : BLACK

- For I.D. 14-19mm
- Outer Diameter 30mm

■“HEAVY WEIGHT”



#99951 : RED
 #99952 : BLUE
 #99953 : CHAMPAGNE
 #99954 : GREEN
 #99955 : SILVER
 #99956 : BLACK

- For I.D. 17-19mm
- Outer Diameter 38mm
- Weight per piece around 350g

HenlyBegins® Seat Bag



#96719

DH-717 20~26 ℓ

- 290×(300~400)×200mm
- Polyester
- Incl. rain cover
- Expandable
- Loading weight 7kg



#96720

DH-718 33~42 ℓ

- 275×(490~610)×225mm
- Polyester
- Incl. rain cover
- Expandable
- Loading weight 8kg



#96721

DH-719 44~60 ℓ

- 320×(410~570)×300mm
- Polyester
- Incl. rain cover
- Expandable
- Loading weight 10kg



#97980

DH-724 53~70 ℓ

- 320×(525~685)×300mm
- Polyester
- Incl. rain cover
- Expandable
- Loading weight 14kg



#19437

DH-747 5.5 ℓ

- 295×220×165mm
- PC & Polyester
- Incl. rain cover
- Loading weight 5.5kg



#95741 (BLACK)
#95734 (CARBON × BLACK)
#95735 (RED)

DH-708 4 ℓ

- 285×250×110mm
- Artificial leather & Polyester
- Incl. rain cover
- Loading weight 5kg



#97087

DH-723 6 ℓ

- 300×250×185mm
- Artificial leather & Polyester
- Incl. rain cover
- Loading weight 5kg



#96043

DH-710 7 ℓ

- 280×235×145mm
- Artificial leather & Nylon
- Incl. rain cover
- Loading weight 5kg



#97241

DH-722 7~12 ℓ

- 345×250×(150~220)mm
- Polyester
- Incl. rain cover
- Incl. shoulder strap
- Expandable
- Loading weight 5kg



#98661

DH-731 13~26 ℓ

- 345×280×(190~310)mm
- Polyester
- Incl. rain cover
- Incl. shoulder strap
- Expandable
- Loading weight 5kg



HenlyBegins® Saddle Bag



NEW

#18996

DHS-19 22 ℓ

- 320×430×160mm
- Artificial leather & Polyester
- Incl. rain cover
- Loading weight 5kg



#96909

DHS-4 18 ℓ

- 300×400×150mm
- Artificial leather & Polyester
- Incl. rain cover
- Loading weight 5kg



NEW

#18994

DHS-18 13 ℓ

- 300×280×170mm
- Artificial leather & Polyester
- Incl. rain cover
- Loading weight 5kg



NEW

#96907 (BLACK) DHS-2
#98884 (NAVY) DHS-17

12 ℓ

- 270×360×120mm
- Polyester & Artificial leather
- Incl. rain cover
- Loading weight 5kg



NEW

#96906 (BLACK) DHS-1
#98883 (NAVY) DHS-16

9 ℓ

- 200×360×130mm
- Polyester & Artificial leather
- Incl. rain cover
- Loading weight 5kg



NEW

#24364

DHS-21 12 ℓ

- 270×360×120mm
- Artificial leather & Polyester
- Incl. rain cover
- Loading weight 5kg



NEW

#90557 (KHAKI) DHS-13
#98881 (NAVY) DHS-14

10 ℓ

- 280×350×100mm
- Polyester
- Loading weight 2kg



NEW

#99702 (KHAKI) DHS-10
#98882 (NAVY) DHS-15

15 ℓ

- 320×365×135mm
- Polyester
- Loading weight 2kg



#99703 DHS-11
#99704 DHS-12

DHS-11 20 ℓ

- 280×350×100mm
- Polyester
- Loading weight 2kg each

DHS-12 30 ℓ

- 315×360×140mm
- Polyester
- Loading weight 2kg each

HenlyBegins® Saddle Bag



#21774



DHS-20 10 L

- 270×360×120mm
- Polyester
- Loading weight 2kg

NEW



#21773



DH-751 20 L

- 300×440×170mm
- Polyester
- Incl. rain cover
- Loading weight 5kg

NEW

2-way



Under-seat Storage Pocket for Scooters



#93000
SMALL (250x320)



#93001
MEDIUM (270x320)



#93002
LARGE (270x400)

- For scooters
- Installation with tapping screws
- Storable weight 1kg



Luggage Fixing Items

■Cargo Net with Pouch



#72182
300x300mm



#72185
400x400mm



#72188
500x500mm



#72191
600x600mm



- Incl. 6 hooks
- Incl. storage pouch

■Cargo Net



- #72733 BLACK
- #77789 RED
- #77790 BLUE

- 400x400mm

■Cargo Cover



- #73223 400x500mm
- #73257 420x600mm

- Incl. 6 hooks

■Cargo Fixing Band




#72210
● 1500mm
● Incl. 1 hook



#72213
● 2500mm
● Incl. 2 hooks



#72216
● 3500mm
● Incl. 3 hooks



#72219
● 1000mm x 2, X-type
● Incl. X-joint

Connector & Terminal Set

■TYPE110



#96167 (2-pole)




#96168 (3-pole)



#96169 (4-pole)



#96170 (6-pole)



#96171 (9-pole)

■TYPE250



#96172 (2-pole)



#96173 (3-pole)



#96174 (4-pole)



#96175 (6-pole)

■TYPE HM




#96182 (2-pole)



#96183 (3-pole)



#96184 (4-pole)



#96185 (6-pole)

■TYPE HM [waterproof]



#96176 (2-pole)



#96177 (3-pole)



#96178 (4-pole)



#96179 (6-pole)

■TYPE MT [waterproof]




#96180 (3-pole)



#96181 (4-pole)

■Terminal Set for HM/MT waterproof connector



#96303

Male terminal x 30
Female terminal x 30
Wire seal x 60

■Bullet Terminal Set



TYPE CA/CB103
#96153 Set of 30
#96155 Set of 5



TYPE CA/CB104
#96156 Set of 30
#96157 Set of 5



For KAWASAKI
#96158 Set of 30

■Flat Terminal Set



TYPE110
#96159 Set of 30
#96160 Set of 5



TYPE250
#96161 Set of 30
#96162 Set of 5

■Bullet Terminal Set [waterproof]



TYPE CA/CB103
#41220 Set of 20
#61938 Set of 5



TYPE CA/CB104
#41221 Set of 20
#61939 Set of 5

■Double Bullet Terminal Set



TYPE CA/CW104
#96304 Set of 5



TYPE CA/CW103
#96305 Set of 5

■Flat Terminal Set for Brake Switch



TYPE 187
#96163 Set of 5

■Connector Set TYPE 250 [Reverse Lock]



#96187 (2-pole)



#96188 (3-pole)



#96189 (4-pole)



#96190 (6-pole)

■Connector Set for Turn Signal



#96191 (2-pole)
HONDA-A
LIGHT BLUE



#96192 (2-pole)
HONDA-A
ORANGE

■Connector Set for H4 Bulb



#96186

TYPE H4
male connector x 1
female connector x 1

TYPE 305
male terminal x 3
female terminal x 3



#96300 (2-pole)
HONDA-B
LIGHT BLUE



#96301 (2-pole)
HONDA-B
ORANGE



#96302 (3-pole)
HONDA-B
WHITE

■Connector Cover Boot



#96206 Φ8xΦ22x70
#96207 Φ16xΦ37x84
#96208 Φ27xΦ42x84



#96193 (2-pole)
SUZUKI
BLACK



#96194 (2-pole)
SUZUKI
GRAY



#96195 (2-pole)
SUZUKI
WHITE



#96199 (2-pole)
KAWASAKI
BLACK



#96200 (2-pole)
KAWASAKI
GRAY



#15414 (2-pole)
KAWASAKI
TYPE 040-HX series

■Ring Terminal Set



#96164 LA106 (Φ6)
#96165 LA108 (Φ8)
#96166 LA110 (Φ10)
Set of 5

■C-shaped Terminal Set



#69062 (Φ6)
#69063 (Φ8)
Set of 5

OEM-colored wire

■SQ 0.75 (14A/12V) x 2M



#93181
RED



#93182
BLACK



#93183
GREEN



#93184
LIGHT BLUE



#93185
ORANGE



#93186
BLUE



#93187
WHITE



#93188
YELLOW



#93189
GREEN
/ YELLOW



#93190
BROWN



#93191
LIGHT GREEN



#93192
BLACK
/ WHITE



#93193
WHITE
/ BLACK



#93194
GRAY



#93195
BLACK
/ YELLOW



#93196
RED
/ BLACK



#93197
RED
/ YELLOW



#93198
BLACK
/ BROWN



#93199
ORANGE
/ WHITE



#93200
LIGHT BLUE
/ WHITE

■SQ 1.25 (20A/12V) x 1M



#93201 RED



#93203 BLACK



#93202 GREEN

■SQ 2.0 (26A/12V) x 1M



#93204 RED



#93206 BLACK



#93205 GREEN

■SQ 0.5 (11A/12V) x 2M



#65097 RED



#65098 BLACK



#65099 GREEN

Wiring Accessories

■Harness Tube



- #96212 I.D. 5mm x 2M
- #96213 I.D. 8mm x 2M
- #96214 I.D. 10mm x 2M
- #96215 I.D. 13mm x 2M

● Material : PVC

#96212

#96213

#96214

#96215

■Mesh Tube



- #16043 I.D. 6mm x 5M
- #16044 I.D. 8mm x 5M
- #16053 I.D. 10mm x 5M
- #16057 I.D. 12mm x 5M

● Material : PET

#16043

#16044

#16053

#16057

■Corrugated Tube



- #96204 I.D. 7mm x 2M
- #96205 I.D. 10mm x 2M with slit

■Adhesive Harness Tape



- #94123 19mm x 25M
- #94125 25mm x 25M

● Material : PVC

■Heat Shrink Tube (glue type)



- Black
- #16064 I.D. 3.2mm x 3M
- #16065 I.D. 6.4mm x 3M
- #16066 I.D. 9.5mm x 1.2M
- #16067 I.D. 15mm x 1.2M




- Red
- #16068 I.D. 3.2mm x 3M
- #16069 I.D. 6.4mm x 3M
- #16070 I.D. 9.5mm x 1.2M
- #16071 I.D. 15mm x 1.2M

■Heat Shrink Tube




- #96201 I.D. 3mm
 - #96202 I.D. 6mm
 - #96203 I.D. 8mm
- 70mm x 10pcs/set



- #44068 I.D. 19mm
 - #44069 I.D. 25mm
 - #44070 I.D. 35mm
- 120mm x 2pcs/set

HOSE

■PVC HOSE



#91857 $\Phi 3 \times \Phi 6$, 1M
 #91858 $\Phi 4 \times \Phi 7$, 1M
 #91859 $\Phi 5 \times \Phi 8$, 1M
 #91860 $\Phi 6 \times \Phi 9$, 1M

- Incl. 5pcs of clip
- ✗ Not for fuel
- ✗ Not for brake fluid

■2-layered Fuel Hose



#96460 $\Phi 4 \times \Phi 8$, 1M
 #96461 $\Phi 5 \times \Phi 10$, 1M
 #96462 $\Phi 6 \times \Phi 10$, 1M
 #96463 $\Phi 8 \times \Phi 13$, 1M
 #96464 $\Phi 10 \times \Phi 15$, 1M

- Incl. 5pcs of clip
- Pressure capacity 1.0MPa
- Heatproof temperature 100°C
- ✗ Not for brake fluid
- ✗ Not for FI models

■Hose Clamp



#91238 $\Phi 6$
 #91239 $\Phi 7$
 #91240 $\Phi 8$
 #91241 $\Phi 9$
 #91242 $\Phi 10$
 #91243 $\Phi 11$
 #91244 $\Phi 12$
 #91245 $\Phi 13$
 #91246 $\Phi 14$

- 2pcs / set
- Material: Steel

■Hose Clip



#91420 $\Phi 6$
 #91422 $\Phi 8$
 #91423 $\Phi 9$
 #91424 $\Phi 11$
 #91425 $\Phi 13$
 #91426 $\Phi 15$

- 10pcs / set
- Material: Steel

■Fuel Hose Stopper



#91110

- For hose outer diameter up to 15mm
- ✗ Not for negative pressure cock
- ✗ Not for FI models

Handy Tools

■Front Lever Lock



#97636 (ORANGE)
#97637 (BLACK)
#97638 (GREEN)
#97639 (RED)
Grip mount type

■2-Way Driver



#97988
3/8" drive socket
&
1/4" bit driver

■Flexible Ratchet



#95327
3/8" (9.5mm)

■Quick Ratchet



#95285
3/8" (9.5mm)

■Magnetic Silicone Tray



#91530
O.D. 145mm
Height 25-85
mm

■Silicone Funnel



#79018
O.D.(upper)
80mm
O.D.(lower)
17mm
Height
55-130mm

■Flexible Funnel



#94748
120x225xT2.1
mm
#94801
170x370xT2.1
mm
Heatproof temp
-30°C ~ +100°C

■Seat Repair Sticker




63030 (M-BLACK)
63034 (BLACK)
63032 (M-BROWN)
63035 (BROWN)
63033 (M-BEIGE)
63036 (BEIGE)

110x170mm

※ M- ▶matte

■Protection Sticker




#69803 (CLEAR)
#69816 (BLACK)
#79283
(CARBON TYPE)
130x200mm

■Anti-slip Sticker



#17379 (SAKURA)
#17391 (SLOT)
#17389
(HONEYCOMB)
#17381 (PLAIN)
#17390 (ROUND)



Information




For more information,
please visit the following website / Instagram.




Go to website

<https://daytona-europe.com>



Go to Instagram

https://www.instagram.com/daytona_europe/





DAYTONA

<https://daytona-europe.com>

