

DAYTONA


JAPAN

2023-2024



**HIGH PERFORMANCE PARTS AND ACCESSORIES
FOR ALL THE MOTORCYCLE LOVERS
SINCE 1972**

DAYTONA



DAYTONA CORPORATION

4805 Ichimiya, Mori-machi,
Shuchi-gun, Shizuoka, 437-0226, Japan
<https://daytona-europe.com>

Message

**Introducing Daytona Japan,
a global company in the production of high-quality motorcycle parts.
With over 50 years of experience in the industry, we have established
ourselves as a trusted name in the motorcycle community.
Having the name of the top brand in Japan, our passion for motorcycles runs
deep, and we strive to deliver exceptional products that enhance the riding
experience for enthusiasts worldwide.
From innovative customization parts to cutting-edge accessories, our
extensive range caters to a diverse range of motorcycles.
With a strong global presence, we proudly serve customers around the world,
ensuring that each rider can enjoy the thrill of the open road with our reliable
and exhilarating motorcycle parts.**



**President
Tetsu, Oda**

**Founder
Henry, Abe**

**CEO
Scott, Suzuki**

Digital Gauge CUBE


NEW



#80920

-  0-399km/h or 0-250MPH
-  0-10,000 or 20,000rpm
-  0-99,999km (mile)
-  1 & 2, 0-9,999.9km (mile)
-  DC 8.0-18.0V
-  RPM bar-scale
10,000 / 20,000rpm
-  Bar-graph blinking

- Aluminum housing, black anodized
- Compact size




Multifunction Cockpit

■DEVA  



#89363



- ABS housing
- Incl. stainless-steel bracket
- Incl. magnetic speed sensor

 0-399km/h or 0-250MPH	 0-10,000 or 20,000rpm
 0-99,999.9km (mile)	 RPM bar-scale 10,000/20,000rpm
 1&2, 0-9999.9km (mile)	 Memory & Recall
 0-99,999.9km (mile) Set start from any value	 Bar-graph blinking
 Memory & Recall	 Fuel Gauge (100Ω,250Ω,510Ω)
 8.0-18.0V	 0°C ~ +150°C (+32°F ~ +356°F)
 Low Battery Warning	 0°C ~ +150°C (+32°F ~ +356°F)
 12h or 24h	 -10°C ~ +60°C (+14°F ~ +140°F)
 N, 1, 2, 3, 4, 5, 6 Top 4/5/6 selectable	
      Indicators	

Option



#89845
Handle clamp kit



#89846
Oil temp sensor




#89847
Air temp sensor

■ASURA 



#84787



- ABS housing
- Incl. clamp for Φ22.2/25.4/31.8mm handlebars
- Incl. magnetic speed sensor

 0-399km/h or 0-250MPH	 0-20,000rpm
 0-99,999.9km (mile)	 1&2, 0-999.9km (mile)
 -10°C ~ +60°C (+14°F ~ +140°F)	 40°C ~ +200°C (+104°F ~ +392°F)
 Memory & Recall	 Memory & Recall
 12h or 24h	 Fuel Gauge
 Low Battery Warning	 Oil Changing Time Notification
    Indicators	

Option



#84851
Temp Sensor

NANO I

- 40(W)x60(L)x17.6(D)mm
- Without backlit
- Coin cell driven (CR2032)
- Unit detachable

■TEMP



#85995

- 0°C ~ +270°C (+32°F ~ +518°F)
 - 0°C ~ +60°C (+32°F ~ +140°F)
 - Low Battery Warning
 - 12h
 - Memory & Recall
- ※ Incl. R1/8 sensor

■RPM



#86719

- 0-20,000rpm
- Resettable & Non-resettable, 0-9,999.9hours
- 12h
- Memory & Recall

NANO II

- 40(W)x60(L)x22(D)mm
- White LED backlit
- Work on DC12V
- Clamp for Φ22.2/25.4mm handlebars

■SPEED



#86596

- 0-399km/h or 0-250MPH
 - 0-999,999km (mile)
 - 1 & 2, 0-99,999.9km(mile)
 - 12h
 - Memory & Recall
- ※ Incl. magnetic speed sensor

■GEAR



#86533

- N, 1, 2, 3, 4, 5, 6, 7, 8
Top 4/5/6/7/8 selectable
- Bar-graph blinking

Compact Gauge Series

■Oil Temp Meter



#89278




-9°C ~ 150°C



High/Low temp alert
by Red LED backlight
when higher than 120°C /
lower than 5°C

- 25(W) x 42(L) x 10.8(D)mm
- White LED backlight
- Waterproof (IPX7)
- Incl. R1/8 sensor



■Volt Meter



#89279



7.5 ~ 18.0V



Low voltage alert
by Red LED backlight
when less than 12V

- 25(W) x 42(L) x 10.8(D)mm
- White LED backlight
- Waterproof (IPX7)

■Wireless Hour Meter




#80072



0-999,999 hours 59minutes

- 36(W) x 57(L) x 17.3(D)mm
- No wiring connection required
- The battery included inside cannot be replaced
- Battery life approx. 4years
- Waterproof (IP68)

VELONA-W



#89364



Two Needles
(SPEED & RPM)



200km/h (MPH)



0-9,000rpm



0-99,999.9km (mile)



1 & 2, 0-99,999.9km (mile)



DC 10.0-16.0V



Memory & Recall



Indicators

•Stainless-steel housing

•Incl. V-shaped bracket



Photo by : JSL MOTO

VELONA80



Photo by : Schepers Motoren Design



#87789
[140]



#87790
[200]



#87791
[260]



140/200/260 km/h (MPH)



0-20,000rpm



0-99,999.9km (mile)



1 & 2, 0-99,999.9km (mile)



DC 10.0-18.0V




Memory & Recall



with Red LED lamp



Indicators



- Stainless-steel housing
- Incl. V-shaped bracket



#87792
[9000]



#87793
[15000]



0-399km/h (0-260MPH)



9000rpm / 15000rpm



0-99,999km/h(mile)



1 & 2, 0-99,999.9km (mile)



DC 10.0-18.0V



Memory & Recall



with Red LED lamp




Indicators

VELONA60



Photo by: JM Customs



■ SPEED (km/h or MPH)




#88641
[140]



#88642
[200]




#88643
[260]



#86861
[260]



#86267
[260]



■ RPM




#88644
[9000]




#88645
[15000]



#88677
[15000]



#87527
[15000]



Digital VELONA



#85836



SPEED & RPM



0-399km/h (0-250MPH)



0-20,000rpm




0-99,999km(mile)



1 & 2, 0-9,999.9km(mile)



RPM bar-scale programmable



- Stainless-steel housing
- Incl. V-shaped bracket

VELONA48




#87383
[140]



#87389
[260]



#87386
[200]



140/200/260 km/h (MPH)



0-99,999.9km (mile)



1 & 2, 0-99,999.9km (mile)



DC 10.0-18.0V



Memory & Recall



Changeable backlit
White / Blue / Orange

- Stainless-steel housing
- Incl. V-shaped bracket

VELONA-Volt



8.0-16.0V



Low voltage alert by Red LED
backlight when less than 12V

- Stainless - steel housing
- Incl. V-shaped bracket


When less than 12V



#80859



#80860



Gauge Options

■Proximity Speed Sensor



#87038

“Non-contact” type speed sensor,
can generate electrical pulse signal from most vehicles.

Wire length : 2000mm

Max.current : 100mA

■Speed Pulse Converters



#87755

Dia10 insert

TRIUMPH, HONDA,
BMW etc.
Wire length : 1280mm



#87041

Dia18 plug connection

YAMAHA SR400/500
etc.
Wire length : 1280mm



#87143

Dia15 insert

HONDA, SUZUKI etc.
Wire length : 1800mm



#87429

M12 thread female

YAMAHA, SUZUKI,
DUCATI, MOTO GUZZI
etc.
Wire length : 1200mm



#88457

For BMW

BMW boxer models
Wire length : 700mm


R65, R80, R100,
R100GS



#87430

Universal

Wire length : 650mm



OEM

SPEEDOMETER CABLE

■RPM Induction Wire Set



#87170

For easy detection of
RPM pulse connecting
to spark plug wire or
to ignition coil

■RPM Pulse Rectifier



#92333

For cases
that RPM pulse cannot
be detected well or
RPM signal is unstable

■Temp Sensor (R1/8)



#80228

Wire length : 1000mm

■ Remote Control Switch

NEW



Operates VELONA gauges remotely instead of pressing bottom buttons.

- For $\Phi 22.2/25.4$ mm handlebars
- Wiring outside or inside handlebar possible
- Max. current capacity 50mA
- Width 12mm



Round type

#80918 BLACK

#80919 CHROME

Edge type

#87047 BLACK



■ Adjustable Bracket of VELONA-W, VELONA80, VELONA60



#80203



- mount pitch adjustable 63-112mm

■ Combinative Brackets for VELONA48



#87768



■ Anti-vibration Brackets for VELONA60



#61197



#63526



#87785



#63527



#63528

■ Combinative Brackets for VELONA60



#87404



#87403



#63529

LED Micro Indicator

■ **GAMMA**

NEW



#81068

- Aluminum body
- CNC Aluminum clamp for $\Phi 22.2/25.4$ mm handlebars
- Vertical & horizontal installation possible

3 interchangeable lenses!



■ **BETA**




#87467 BLACK



#87468 CHROME

- Aluminum body
- Stainless-steel bracket



■ **ALPHA**




#86531 BLACK



#86532 CHROME

- ABS body
- Aluminum clamp for $\Phi 22.2/25.4$ mm handlebars
- Vertical & horizontal installation possible



D-Mirror-3

■Aluminum Housing & Stem



#89428
Bar-end type
1PC



#89429
Standard type
1PC

D-Mirror-4

■Aluminum Housing & Stem



#89430
Bar-end type
1PC



#89431
Standard type
1PC

D-Mirror-5



■Aluminum Housing & Stem



#89474
Bar-end type
1PC



#89475
Standard type
1PC

D-Mirror-6



■Aluminum Housing & Stem



#89722
Bar-end type (Short)
1PC



#89723
Bar-end type (Long)
1PC

■Aluminum housing & steel stem



#89724
Standard type (Right)
1PC



#89725
Standard type (Left)
1PC

D-Mirror-7



■Aluminum Housing & Stem



#89726
Bar-end type (Short)
1PC



#89727
Bar-end type (Long)
1PC

■Aluminum housing & steel stem



#89728
Standard type (Right)
1PC



#89729
Standard type (Left)
1PC

D-Mirror-8



■Aluminum Housing & Stem



#89730
Bar-end type (Short)
1PC



#89731
Bar-end type (Long)
1PC

■Aluminum housing & steel stem



#89732
Standard type (Right)
1PC



#89733
Standard type (Left)
1PC

D-Mirror-9



■ABS housing & aluminum stem



■ABS housing & steel stem



#89813
Bar-end type (Short)
2PCS/SET



#89814
Bar-end type (Long)
2PCS/SET



#89815
Standard type
L/R SET

D-Mirror-10



■ABS housing & aluminum stem



■ABS housing & steel stem



#89816
Bar-end type (Short)
2PCS/SET



#89817
Bar-end type (Long)
2PCS/SET



#89818
Standard type
L/R SET

D-Mirror-11

■ABS housing & aluminum stem



#80715 LEFT (cowl type)
#80716 RIGHT (cowl type)



#80719 LEFT
#80720 RIGHT

D-Mirror-12

■ABS housing & aluminum stem





#80717 LEFT (cowl type)
#80718 RIGHT (cowl type)



#80721 LEFT
#80722 RIGHT

D-Mirror-13



■ABS housing & aluminum stem



#80761
Bar-end type (Short)
1PC

D-Mirror-14

■ABS housing & aluminum stem



#80762
Bar-end type (Short)
1PC

D-Mirror-15



■Aluminum Housing & Stem



#80799 Bar-end type
1PC



Very flat housing!
4 ~ 6mm

D-Mirror-16



■Aluminum Housing & Stem



#80800 Bar-end type
1PC



D-Mirror-17



■Aluminum Housing & Stem



#80801 Bar-end type
1PC




D-Mirror-18



■ABS housing & Nylon stem



*Easily install
anywhere on the handlebar
without removing parts!*




#80917
Handlebar clamp type
1PC

D-Mirror-19



■ABS housing & Nylon stem



NEW

#81001
Handlebar clamp type
1PC

D-Mirror-20




■Aluminum housing & stem



Flat & thin
mirror housing!

NEW



D-Mirror-21




■Aluminum housing & stem



Flat & thin
mirror housing!


NEW



D-Mirror-22

■Aluminum housing & stem

NEW




#81073
Bar-end type
1PC

D-Mirror-23

■Aluminum housing & stem

NEW



#81074
Bar-end type
1PC

Mirror Adapters



- CNC Aluminum
- Mount area $\Phi 30 \times 12 \text{mm}$
- 2pcs/set

■ KAWASAKI



#89444

■ SUZUKI



#89443

■ YAMAHA-1



#89441

■ YAMAHA-2



#89442

■ BMW



#80863

■ UNIVERSAL for inner diameters between 19 ~ 22.5mm



#80996

■ UNIVERSAL for 22.2mm

*Please use adapter A for inner diameters between 13.5 ~ 16 mm and B for 16 ~ 19mm.



#89440

■ Adapter for HD

- UNF 5/16-24
- Steel
- 1pc




#87303

Mirror Hole Plug Bolt



- CNC Aluminum
- 1pc



SIZE	RHS	LHS
RED	#99794	#99795
BLUE	#99796	#99797
GOLD	#99798	#99799
GREEN	#99800	#99801
SILVER	#99614	#99615
BLACK	#99616	#99617
TITANIUM	#99618	#99619



SIZE	RHS	LHS
BLACK	#80939	#80943
GUNMETAL	#80940	#80944
RED	#80941	#80945
ORANGE	#80942	#80946

NEW

Headlight


■CAPSULE120



- LED headlight
- Steel housing
- Dia. 120mm lens
- Front Position Lamp (ring)


SIDE-MOUNT

- #88633 BLACK
- #88634 CHROME



BOTTOM-MOUNT

- #88635 BLACK
- #88636 CHROME




■NEO VINTAGE



- LED headlight
- Steel housing
- 5-3/4" (146mm) lens
- Daytime Running Light (center-bar)
- Front Position Lamp (ring)
- With a hole for $\Phi 60$ mm gauge installation

- #88431 BLACK
- #88432 CHROME



■VINTAGE



- Steel housing
- 5-3/4" (146mm) lens
- H4 12V 60/55W bulb with T10 5W position light
- With a hole for $\Phi 60$ mm gauge installation

- #86903 RHS, BLACK

- #86904 RHS, CHROME

- #87357 RHS, BLACK & BLACK



Headlight Brackets

■Dual-axis Adjustable Type



- #80725 for $\Phi 35$ mm
- #80726 for $\Phi 39$ mm
- #80727 for $\Phi 41$ mm
- #80728 for $\Phi 49$ mm

● Material : CNC aluminum




● The fork clamp can be adjusted vertically, allowing the headlight position to be adjusted in the front-back direction.

● M8 indicator mount kit is included




■Modern Type



SHORT

- #88622 for $\Phi 35$ mm
- #88623 for $\Phi 39$ mm
- #88624 for $\Phi 41$ mm
- #88625 for $\Phi 43$ mm
- #88626 for $\Phi 49$ mm

● Material : CNC aluminum



LONG

- #88617 for $\Phi 35$ mm
- #88618 for $\Phi 39$ mm
- #88619 for $\Phi 41$ mm
- #88620 for $\Phi 43$ mm
- #88621 for $\Phi 49$ mm




#88624

#88619

LED Indicator

■D-Light MINI 1




#80758

- Zinc alloy body
- M8 bolt installation
- ECE approved for front and rear




■D-Light MINI 2




#80825

- Zinc alloy body
- M8 bolt installation
- ECE approved for front and rear




■D-Light MINI 3



#80826

- Zinc alloy body
- M8 bolt installation
- ECE approved for front and rear




■D-Light CLASSIC



NEW

#81043

- Aluminum body
- M8 bolt installation
- ECE approved for front and rear



■D-Light SOL




#88703



#88731

- Aluminum body
- M8 bolt installation
- ECE approved for front and rear



■D-Light SOL-W




#89274



#89275

- Aluminum body
- M8 bolt installation
- ECE approved for rear indicator and stop & tail
- 3 in 1




■D-Light STELLAR




#88266



- Aluminum body
- M8 bolt installation
- ECE approved for front and rear
- Sequential lighting




■D-Light RAY



#89273



- Aluminum body
- M8 bolt installation
- ECE approved for front and rear
- Sequential lighting



IC Relay

■For both LED & bulb



#88985

- Power : DC8-16V (regular 12V)
- Power range : 0.1 ~ 100W
- Size : 38×28.4×17.5mm
- Flashes : 85 count/minutes
- Incl. convertible connector (2P→3P)
- CE approved

■For hazard & position

- Power : DC8-16V (regular 12V)
- Power range : 0.1~100W
- Size : 38×28.4×17.5mm
- Flashes : 85 count/minutes
- CE approved



#89460

■8P for HONDA, hazard & position & ESS



#89658

- Power : DC8-16V (regular 12V)
- Power range : 0.1~100W
- Direction flashes : 85 count/minutes
- Hazard flashes : 85 count/minutes
- ESS flashes : 220 count/minutes
- CE approved

Options for Direction Indicator

■ Fork Clamp for Indicator Mount



- CNC aluminum
- For M8 indicator
- Inside groove for discreet wiring

#89855	Φ35mm
#89856	Φ39mm
#89857	Φ41mm
#89858	Φ43mm
#89859	Φ47mm
#89860	Φ48mm
#89861	Φ49mm
#89862	Φ53mm
#89863	Φ57mm
#89864	Φ59mm



■ Extension



#81045



NEW

- CNC aluminum
- For M8 indicator (M8 in → M8 out)
- Outer diameter 13mm
- Length 30mm
- Sold by set (2pcs)

■ Mounting Plates



#81065 BMW



#97235 KAWASAKI



#97238 HONDA



#97398 SUZUKI



#97420 YAMAHA, KAWASAKI



#86963 SUZUKI



#86964 SUZUKI



#86965 KAWASAKI



#86987 HONDA



#86988 YAMAHA



#86989 YAMAHA





#86994

■ Adapter Collar M10

LED Taillight



NEW



#80930


- Housing & bracket material : zinc alloy
- Fixing hardware material : stainless-steel
- ECE approved for stop & tail light
- M6 bolt installation
- Mounting angle adjustable

LED License Plate Lamp

- ECE approved



#88857



Slim Reflector




#87192 Bolt-on

#87193 Tape-down

ON / OFF Switch Series

■ Slim Type



#88159 Flat Seesaw Type



#88160 Toggle Type

- Max. current 15A (12V-180W, 6V-90W)
- For $\Phi 22.2/25.4$ mm handlebars
- Housing material: nylon
- Wire length: 800mm

■ For H4 Headlight



#88162 Flat Seesaw Type



- Max. current 15A (12V-180W, 6V-90W)
- For $\Phi 22.2/25.4$ mm handlebars
- Housing material: nylon
- For H4 bulb only
- Wire length: 900mm

■ Slide Type




#71779 BLACK



#40440 YELLOW

- Size : 20×35×17mm (12V-180W, 6V-90W)
- 12V/6V
- 100W
- Wire length: 800mm

USB Power Supply




TYPE-C

#80992

USB "TYPE-C" × 1port

- Aluminum housing & nut
- For USB PD(Power Delivery)
- Input DC12V
- Output 5V/3A, 9V/2A, 12V/1.5A
- Max.18W
- Powers on ignition key
- Green LED indicator when charging

NEW



TYPE-C

#80967

USB "TYPE-C" × 1port

- Aluminum housing
- For USB PD(Power Delivery)
- Input DC12V
- Output 5V/3A, 9V/2A, 12V/1.5A
- Max.18W
- For 22.2/25.4mm handlebars
- Powers on with ignition key

NEW






TYPE-C



#80399

USB "TYPE-C" × 1 port

- For USB PD (Power Delivery)
- Input : DC12V
- Output : 5V/3A, 9V/2A, 12V/1.5A
- Max : 18W
- Powers on with ignition key




TYPE-C



#80400

Slim-mount USB "TYPE-C" × 1 port

- For USB PD (Power Delivery)
- Input : DC12V
- Output : 5V/3A, 9V/2A, 12V/1.5A
- Max : 18W
- For 22.2mm/ 25.4mm handlebars
- Powers on with ignition key




TYPE-A



#89371

Slim-mount USB "TYPE-A" × 1 port

- Input : DC12V
- Output : DC5V
- Rated current : 2.4A
- Housing : ABS resins
- For 22.2mm/ 25.4mm handlebars
- Powers on with ignition key




TYPE-A



#89372

Slim-mount USB "TYPE-A" × 2 port

- Input : DC12V
- Output : DC5V
- Rated current : 2.4A × 2 port
- Housing : ABS resins
- For 22.2mm/ 25.4mm handlebars
- Powers on with ignition key





TYPE-A



#80729

USB "TYPE-A" × 1port

- Input : DC12V
- Output : DC5V
- Rated current : 2.4A
- Powers on with ignition key



TYPE-A



#80730

USB "TYPE-A" × 2 port

- Input : DC12V
- Output : DC5V
- Rated current : 2.4A × 2 port
- Powers on with ignition key

USB Cable for Motorcycle



#80468 TYPE-C to TYPE-C

#80469 TYPE-C to Lightning

#80470 TYPE-A to TYPE-C

#80471 TYPE-A to Lightning

- L-shaped
- Wire length : 20cm
- 18W (5V/3A, 9V/2A, 12V/1.5A)
- #80469 & #80471 with MFi approval

Smartphone DIRECT Charging Cable



#15644 TYPE-C

#15645 Lightning

- L-shaped
- Wire length : 800mm (from Connector to connector)
- LED lamp
- Powers on with ignition key
- #15645 with MFi approval

POWER

DAYTONA "DIRECT" charging cable



Smartphone Holder

■SMARTPHONE HOLDER 3



#80218 RIGID TYPE (bolt-mount clamp)

#80219 DETACHABLE (quick-release clamp)

- Width adjustable 55 ~ 85mm
- Length adjustable 123 ~ 170mm
- Depth for 6 ~ 18mm
- Weight for up to 300g
- Clamp for $\Phi 22 \sim 29$ mm handlebars

DETACHABLE
(quick-release clamp)



RIGID TYPE
(bolt-mount clamp)

■SMARTPHONE HOLDER 1



#87963 RIGID TYPE (bolt-mount clamp)

#87964 DETACHABLE (quick-release clamp)

- Width adjustable 55 ~ 85mm
- Length adjustable 110 ~ 147mm
※using additional arm : over 153mm possible
- Depth for 6 ~ 18mm
- Weight for up to 300g
- Clamp for $\Phi 22 \sim 29$ mm handlebars

Mount Bar Holder

- Creates space for smartphone, navigation, USB power supply or switch etc.
- Bar diameter 22.2mm

■Master Cylinder Clamp Type



- #92746 BLACK, 100mm
#77435 BLACK, 155mm
#77434 CHROME, 155mm

■Master Cylinder Clamp Flat Type



- #92801 BLACK, 100mm
#92802 CHROME, 100mm

■Handle Clamp Type



- #92748 BLACK, 100mm
#92747 CHROME, 100mm
#77437 BLACK, 155mm
#77436 CHROME, 155mm

■Mirror Clamp Type



- #78031 BLACK, 100mm
#78030 CHROME, 100mm

Free Combination Handle Brace



Adapter bar : 50mm / 100mm



Bar : L150mm / L200mm / L250mm



Clamp

For	Bar			Clamp Φ22.2mm	Adapter bar	
	150mm	200mm	250mm		50mm	100mm
RED	#99421	#99427	#99433	#99440	#99469	#99463
BLUE	#99422	#99428	#99434	#99441	#99470	#99464
GOLD	#99423	#99429	#99435	#99442	#99471	#99465
GREEN	#99424	#99430	#99436	#99443	#99472	#99466
SILVER	-	#99431	#99437	#99444	#99473	#99467
BLACK	-	#99432	#99438	#99445	#99474	#99468


Handlebar Bracket



- Aluminum handle clamp bracket
- For $\Phi 22.2$ mm handlebar
- Plate 40 x 40mm
- Angle adjustable


- ABS handle clamp bracket
- For $\Phi 22.2/25.4$ mm handlebars
- Plate 34 x 35mm

■Type B



- #68453 : M8, 7/8" (22.2mm)
- #68459 : M8, 1" (25.42mm)
- #68456 : M10, 7/8" (22.2mm)
- #68462 : M10, 1" (25.42mm)

■Type C



- #68454 : M8, 7/8" (22.2mm)
- #68460 : M8, 1" (25.42mm)
- #68457 : M10, 7/8" (22.2mm)
- #68463 : M10, 1" (25.42mm)

Heated Grips

■ Built-in Switch, 4-level Heat Control



NEW

#81044
4-level Heat Control
For $\Phi 22.2\text{mm}$ (7/8") motorcycles
Open end



#88640
4-level Heat Control
For $\Phi 22.2\text{mm}$ (7/8") motorcycles
Open end



#89820
4-level Heat Control
For $\Phi 22.2\text{mm}$ (7/8") motorcycles
Open end



★ Battery Protection

※ automatically turned off
when voltage is less than 12V



■Built-in Switch, 3-level Heat Control



#87407
For $\Phi 22.2\text{mm}$ (7/8"), Open end



#88019
For $\Phi 25.4\text{mm}$ (1")
Closed end

#88020
For Harley Davidson
(96UP, 08UP)
Closed end

■4-level Heat Control



#88987
For $\Phi 22.2\text{mm}$ (7/8"), Open end

#88988
For ATVs, Open end



#86610
For $\Phi 25.4\text{mm}$ (1"), Closed end

■Spare Switch



#86983
orange button



#89650
black button w/clamp kit

■2-level Heat Control



#86607
For $\Phi 22.2\text{mm}$ (7/8")
Closed end

#86608
For ATVs, Closed end

■Spare Switch



#24050
Spare switch

■Thumb warmer




#89875
For ATV Heated Grips (#88988)

Grip Warmer



#80583

- 12V
- Size : 105×95mm
- ON/OFF switch
- Wrap type



Easy mount on grip!
Only use when cold!

GrippyGrip

■GGDM-BASE (Φ22.2mm/L125mm)



#80912
BLACK × SILVER



#80913
BROWN × SILVER

■GGDM-CROSS (Φ22.2mm/L125mm)



#80914
BLACK × BLACK



#80915
BLACK × SILVER

■GGD-CLASSIC (Φ22.2mm/L122mm)

#33448
BLACK



#33513
BROWN

#33520
RUBBER-LIKE

NEW

■GGD-VINTAGE (Φ22.2mm/L122mm)

#33445
BLACK



#33446
BROWN

#33447
RUBBER-LIKE

NEW

■GGD-KNIT (Φ22.2mm/L122mm)

#33432
BLACK




#33440
BROWN

#33444
DARK RED

NEW

■GGD-GRID (Φ22.2mm/L122mm)

#32727
BLACK



#32728
BROWN

#32729
DARK RED

#32731
RUBBER-LIKE

NEW

■GGD-BASE (Φ22.2mm/L125mm)



#88217
BLACK



#88218
GRAY

#88219
BROWN

■GGD-DELTA (Φ22.2mm/L123mm)



#88565
BLACK



#88567
DARK RED

■GGD-NAMI (Φ22.2mm/L125mm)



#88561
BLACK




#88562
BROWN

#88563
DARK RED

■GGD-KANI (Φ22.2mm/L125mm)



#88937
BLACK



#88938
GRAY

#88939
BROWN

#88940
CARAMEL

■GGD-AMI (Φ22.2mm/L125mm)



#88569
BLACK



#88613
GRAY

#88570
BROWN

#88614
DARK BLUE

#88615
DARK GREEN

#88571
DARK RED

■GGD-SAKURA (Φ22.2mm/L125mm)



#88942
BLACK



#88943
GRAY

#88944
CARAMEL

■GGD-NINJA (Φ22.2mm/L125mm)



#88663
BLACK



#88664
GRAY



#88665
BROWN



#88666
DARK RED

■GGD-LINE (Φ22.2mm/L125mm)



#88658
RED



#88659
BLUE



#88660
GREEN



#88661
YELLOW



#88769
GRAY

■GGD-KATANA (Φ22.2mm/L125mm)



#88573
RED



#88574
BLUE



#88575
GREEN



#88579
WHITE



#88576
GRAY

■GGD-CELL (Φ22.2mm/L125mm)



#88669
RED



#88670
BLUE



#88671
GREEN



#88673
DARK GREEN



#88672
GRAY



■GGDI-BASE (Φ25.4mm/L125mm)



#89746

■GGDI-KAWA (Φ25.4mm/L125mm)



#89747

■GGD-ARC1 (Φ25.4mm/L125mm)



#88667

■GGD-ARC3 (Φ25.4mm/L125mm)



#88675

■GGD-OCTA (Φ25.4mm/L125mm)



#88674

■Grip Spacer



Before

fills the gap ↓



After

#80561

- Material : Neoprene
- O.D. : 50mm
- I.D. : 22 or 26mm
- Thickness : 5mm
- 2pcs/set

Master Cylinder Tank Cap



■For BMW



#80834



#80836



#80838



#80835



#80837



#80839



#80840

- #80834 R1250GS, R1200GS
- #80836 R1250GS, R1200GS
- #80838 R1250GS, R1200GS
- #80835 R NINE T, F850GS
- #80837 R NINE T
- #80839 R NINE T
- #80840 F850GS

- Double color anodized
- CNC Aluminum
- Use OEM diaphragm
- Patented design

■For KAWASAKI Z650, Z900 etc.



#80634 GREEN



#80635 BLACK

■For HONDA, **MONKEY125**



- #80814 BLACK
- #80815 BLUE
- #80816 RED
- #80817 GOLD

■For HONDA, **GROM, CB650R etc.**



#80818 BLACK

■For NISSIN



#80636 GREEN $\Phi 42$



#80637 BLACK $\Phi 42$

■For NISSIN



SIZE	$\Phi 38$	$\Phi 42$	$\Phi 59$
RED	#92737	#92732	#92727
BLUE	#92738	#92733	#92728
GOLD	#92739	#92734	#92729
GREEN	#92740	#92735	#92730
SILVER	-	#92736	-

Oil Filler Cap



#80638 GREEN
M20×P2.5



#80639 BLACK
M20×P2.5



SIZE	M20× P2.5	M24× P3.0	M30× P1.5
RED	#98399	#98405	-
BLUE	#98400	#98406	#98424
GOLD	#98401	#98407	-
GREEN	#98402	-	-
SILVER	#98403	#98409	-
BLACK	#98404	-	-

Handlebar End Plug

■“W”



- For I.D. 14-19mm
- Outer Diameter 30
- Double function.

#81174 BLACK



#81175 RED

#81176 ORANGE




Can also be used as a bar-end mirror adapter.

NEW



■“COMPASS”



- For I.D. 14-19mm
- Outer Diameter 30mm


#80897 RED

#80898 BLUE

#80899 SILVER

#80900 ORANGE

■“TKM-2”



- For I.D. 14-19mm
- Outer Diameter 30mm
- Dual Anodizing

#87331 RED

#87332 BLUE

#88059 ORANGE

■“BULLET”



- For I.D. 14-19mm
- Outer Diameter 30mm

#80911 GUNMETAL

#98374 BLACK

■“PINO-1”



- For I.D. 14-19mm
- Outer Diameter 22mm

#99969 : RED

#99970 : BLUE

#99971 : CHAMPAGNE

#99972 : GREEN

#99973 : SILVER

#99974 : BLACK

■“PINO-2”



- For I.D. 14-19mm
- Outer Diameter 22mm

#99975 : RED

#99976 : BLUE

#99977 : CHAMPAGNE

#99978 : GREEN

#99979 : SILVER

#99980 : BLACK

■“PINO-3”



- For I.D. 14-19mm
- Outer Diameter 30mm

#99981 : RED

#99982 : BLUE

#99983 : CHAMPAGNE

#99984 : GREEN

#99985 : SILVER

#99986 : BLACK


HenlyBegins **Seat Bag**

※HenlyBegins is a brand owned by Daytona Japan.



- | | | | |
|-------------------------------------|------------------|--------------------------|---------------------|
| ① #96719 (Black) / ⑤ #29783 (Khaki) | <u>20 ~ 26 ℓ</u> | W(300 ~ 400)×D290×H200mm | Loading Weight 7kg |
| ② #96720 (Black) / ⑥ #29784 (Khaki) | <u>33 ~ 42 ℓ</u> | W(490 ~ 610)×D275×H225mm | Loading Weight 8kg |
| ③ #96721 (Black) / ⑦ #29785 (Khaki) | <u>44 ~ 60 ℓ</u> | W(410 ~ 570)×D320×H300mm | Loading Weight 10kg |
| ④ #97980 (Black) / ⑧ #29786 (Khaki) | <u>53 ~ 70 ℓ</u> | W(525 ~ 685)×D320×H300mm | Loading Weight 14kg |

● Polyester ● Incl. rain cover ● Expandable





#19437

DH-747 **5.5 ℓ**

- W220×D295×H165mm
- PC & Polyester
- Incl. rain cover
- Loading weight 5.5kg



#95741 (BLACK)
#95734 (CARBON × BLACK)
#95735 (RED)

DH-708 **4 ℓ**

- W250×D285×H110mm
- Artificial leather & Polyester
- Incl. rain cover
- Loading weight 5kg



#97087

DH-723 **6 ℓ**

- W250×D300×H185mm
- Artificial leather & Polyester
- Incl. rain cover
- Loading weight 5kg



#96043

DH-710 **7 ℓ**

- W235×D280×H145mm
- Artificial leather & Nylon
- Incl. rain cover
- Loading weight 5kg



#97241

DH-722 **7~12 ℓ**

- W250×D345×H(150~220)mm
- Polyester • Expandable
- Incl. rain cover
- Incl. shoulder strap
- Loading weight 5kg



#98661

DH-731 **13~26 ℓ**

- W280×D345×H(190~310)mm
- Polyester • Expandable
- Incl. rain cover
- Incl. shoulder strap
- Loading weight 5kg



#21773

DH-751 **20 L**

- W440×D300×H170mm
- Polyester
- Incl. rain cover
- Loading weight 5kg



- #41380 (BLACK)
- #20043 (GRAY)
- #20049 (RED)

DH-749 **60 L**

- W550×D330×H350mm
- Tarpaulin Fabric
- Loading weight 14kg
- Waterproof

Backpack



- #20030 (BLACK)
- #20031 (GRAY)
- #20032 (RED)

DH-748 **30 L**

- Φ300×L450mm
- Tarpaulin Fabric
- Loading weight 7kg
- Waterproof
- Need optional fixing belt(#15383) to be used as seat bag

HenlyBegins Saddle Bag

※HenlyBegins is a brand owned by Daytona Japan.



NEW



#40412 LEFT



#40413 RIGHT

11 ℓ W420xD150xH245mm
Loading Weight 5kg

NEW



①

NEW



②



③

NEW



④

NEW



⑤



⑥



⑦



⑧



⑨



⑩

Loading Weight

9 ℓ W360xD130xH200 5kg

①#96906 (DHS-1)

10 ℓ W360xD260xH270 5kg

②#32679 (DHS-29), ③#32680 (DHS-30, DIAMOND)

12 ℓ W420xD150xH245 5kg

④#40262 (DHS-36), ⑤#40263 (DHS-37, DIAMOND)

12 ℓ W360xD10xH270 5kg

⑥#96907 (DHS-2), ⑦#24364 (DHS-21, DIAMOND)

13 ℓ W280xD170xH300 5kg

⑧#18994 (DHS-18)


18 ℓ W400xD150xH300 5kg

⑨#96909 (DHS-4)

22 ℓ W430xD160xH320 5kg

⑩#18996 (DHS-19)

- Artificial leather & Polyester
- Incl. rain cover





#90557 **DHS-13** 10 ℓ W350×D100×H280mm


#99702 **DHS-10** 15 ℓ W365×D135×H320mm

• Polyester



Loading weight 2kg

Loading weight 2kg



#99703 **DHS-11** 20 ℓ W350×D100×H280mm

#99704 **DHS-12** 30 ℓ W360×D140×H315mm

• Polyester



Loading weight 2kg each

Loading weight 2kg each



10 ℓ W360×D120×H270mm

• Loading weight 2kg

• Polyester



#21774 **DHS-20** BLACK

#30849 **DHS-28** KHAKI **NEW**

HenlyBegins Tool Bag

※HenlyBegins is a brand owned by Daytona Japan.



#98771 **DHS-7** 1.5 ℓ W250×D75×H105mm Loading weight 1.5kg

#98773 **DHS-8** 2 ℓ W255×D65×H130mm Loading weight 1.5kg

• Polyester

Under-seat Storage Pocket for Scooters



#93000
SMALL (250x320)



#93001
MEDIUM (270x320)



#93002
LARGE (270x400)

- For scooters
- Installation with tapping screws
- Storable weight 1kg



Connector & Terminal Set



#96167

TYPE110

- #96167 (2-pole)
- #96168 (3-pole)
- #96169 (4-pole)
- #96170 (6-pole)
- #96171 (9-pole)



#96172

TYPE250

- #96172 (2-pole)
- #96173 (3-pole)
- #96174 (4-pole)
- #96175 (6-pole)



#96182

TYPE HM

- #96182 (2-pole)
- #96183 (3-pole)
- #96184 (4-pole)
- #96185 (6-pole)



#96176

TYPE HM [waterproof]


- #96176 (2-pole)
- #96177 (3-pole)
- #96178 (4-pole)
- #96179 (6-pole)



#96180

TYPE MT [waterproof]

- #96180 (3-pole)
- #96181 (4-pole)



#96303

Terminal Set for HM/MT waterproof connector

- Male terminal x 30
- Female terminal x 30
- Wire seal x 60



Bullet Terminal Set

- TYPE CA/CB103
- #96153 Set of 30
- #96155 Set of 5

- TYPE CA/CB104
- #96156 Set of 30
- #96157 Set of 5

- For KAWASAKI
- #96158 Set of 30



Bullet Terminal Set [waterproof]

- TYPE CA/CB103
- #41220 Set of 20
- #61938 Set of 5


- TYPE CA/CB104
- #41221 Set of 20
- #61939 Set of 5



#96187

Connector Set TYPE 250 [Reverse Lock]

- #96187 (2-pole)
- #96188 (3-pole)
- #96189 (4-pole)
- #96190 (6-pole)



#96186

Connector Set for H4 Bulb

- TYPE H4
- male connector x 1
- female connector x 1

- TYPE 305
- male terminal x 3
- female terminal x 3

■Connector Set for Turn Signal



#96191 (2-pole)
HONDA-A
LIGHT BLUE



#96192 (2-pole)
HONDA-A
ORANGE



#96300 (2-pole)
HONDA-B
LIGHT BLUE



#96301 (2-pole)
HONDA-B
ORANGE



#96302 (3-pole)
HONDA-B
WHITE



#96193 (2-pole)
SUZUKI
BLACK



#96194 (2-pole)
SUZUKI
GRAY



#96195 (2-pole)
SUZUKI
WHITE



#96199 (2-pole)
KAWASAKI
BLACK



#96200 (2-pole)
KAWASAKI
GRAY



#15414 (2-pole)
KAWASAKI
TYPE 040-HX series

■Connector Cover Boot



#96206
Φ8xΦ22x70

#96207
Φ16xΦ37x84

#96208
Φ27xΦ42x84

OEM-colored wire

■SQ 0.75 (14A/12V) x 2M

#93181 RED	#93182 BLACK
#93183 GREEN	#93184 LIGHT BLUE
#93185 ORANGE	#93186 BLUE
#93187 WHITE	#93188 YELLOW
#93189 GREEN/ YELLOW	#93190 BROWN
#93191 LIGHT GREEN	#93192 BLACK/ WHITE
#93193 WHITE/ BLACK	#93194 GRAY
#93195 BLACK/ YELLOW	#93196 RED/ BLACK
#93197 RED/ YELLOW	#93198 BLACK/ BROWN
#93199 ORANGE/ WHITE	
#93200 LIGHT BLUE/ WHITE	

■SQ 1.25 (20A/12V) x 1M


#93201 RED	#93203 BLACK
#93202 GREEN	

■SQ 2.0 (26A/12V) x 1M

#93204 RED	#93206 BLACK
#93205 GREEN	

■SQ 0.5 (11A/12V) x 2M

#65097 RED	#65098 BLACK
#65099 GREEN	



Color	Brand	Usage
RED	UNIVERSAL	
BLACK		
GREEN		
LIGHT BLUE	HONDA	Winker (Right)
ORANGE	HONDA	Winker (Left)
BLUE	HONDA	Headlight (High Beam)
WHITE	HONDA	Headlight (Low Beam)
YELLOW	YAMAHA	Headlight (High Beam), Taillight
GREEN/YELLOW	HONDA	Taillight
BROWN	YAMAHA	ACC Wire
LIGHT GREEN	SUZUKI	Winker (Right)
BLACK/WHITE	SUZUKI	GND Wire
WHITE/BLACK	SUZUKI	Taillight
GRAY	KAWASAKI	Winker (Right)
BLACK/YELLOW	KAWASAKI	GND Wire
RED/BLACK	HONDA	ACC Wire
RED/YELLOW	KAWASAKI	Headlight (High Beam)
BLACK/BROWN	KAWASAKI	Headlight (Low Beam)
ORANGE/WHITE	HONDA	ACC Wire
LIGHTBLUE/WHITE	HONDA	Position Light

Fuel Hose (1M)

■2-layered Fuel Hose




- #96460 $\Phi 4 \times \Phi 8$, 1M
- #96461 $\Phi 5 \times \Phi 10$, 1M
- #96462 $\Phi 6 \times \Phi 10$, 1M
- #96463 $\Phi 8 \times \Phi 13$, 1M
- #96464 $\Phi 10 \times \Phi 15$, 1M
- 2-layered
- Pressure capacity 1.0MPa
- Heatproof temperature 100°C
- Incl. 5pcs of clip

✗ Not for brake fluid

✗ Not for FI models

■Hose Clamp



- | | | | |
|--------|-----------|-------------------|-----------|
| #91238 | $\Phi 6$ | #91244 | $\Phi 12$ |
| #91239 | $\Phi 7$ | #91245 | $\Phi 13$ |
| #91240 | $\Phi 8$ | #91246 | $\Phi 14$ |
| #91241 | $\Phi 9$ | | |
| #91242 | $\Phi 10$ | • 2pcs / set | |
| #91243 | $\Phi 11$ | • Material: Steel | |

■Hose Clip



- | | | |
|--------|-----------|-------------------|
| #91420 | $\Phi 6$ | • 10pcs / set |
| #91422 | $\Phi 8$ | • Material: Steel |
| #91423 | $\Phi 9$ | |
| #91424 | $\Phi 11$ | |
| #91425 | $\Phi 13$ | |
| #91426 | $\Phi 15$ | |

■Fuel Hose Stopper



#91110

- For hose outer diameter up to 15mm

✗ Not for negative pressure cock

✗ Not for FI models

Front Lever Lock



- #97636 (ORANGE)
- #97637 (BLACK)
- #97638 (GREEN)
- #97639 (RED)

Grip mount type
I.D. 36mm

Seat Repair Sticker




84705 (M-BLACK)
84708 (BLACK)
84706 (M-BROWN)
84709 (BROWN)
84707 (M-BEIGE)
84710 (BEIGE)

110x170mm

※ M- ▶ matte


Protection Sticker



① #69803
(CLEAR)
② #69816
(BLACK)
③ #79283
(CARBON TYPE)

130x200mm

Anti-slip Sticker



① #17381
(PLAIN)
② #17391
(SLOT)
③ #17389
(HONEYCOMB)
④ #17390
(ROUND)
⑤ #17379
(SAKURA)

License Number Plate Holder (Germany)

#89854

- Aluminum
- Anodized black
- For German number plate 180x200



Daytona Outdoor

Compact&Light Camping Goods for Riders

Maehiro Dome

NEW



#37041


- H143xW220xD260cm
- 210x120cm inner size
- 3.4kg lightweight design
- Nylon cover
- Aluminum pole

Tepee Tent

NEW



Expandable head space allows to have move inner space.



#32494

- H165xW250xD250cm
- 230x115cm inner size
- 2.8kg lightweight design
- Nylon cover
- Aluminum pole



Ground Sheet

NEW



#39569

- 210x120cm
- 21x18cm compact bag
- 240g lightweight design
- Polyester



Air pillow

NEW



#34251

- 47x27cm inflated size
- 11x17cm compact bag
- 72g lightweight design
- Polyester





Daytona camping gear items are crafted with adventure riders in mind. Our camping gear boasts a lightweight and compact design, ensuring you can carry everything you need without the burden of excess weight. Ride, camp, and conquer the great outdoors with ease and comfort!

Inflatable Bed

NEW



- Detachable cushion



#35467

- 183x53cm
- 3.5cm cushion thickness
- 680g lightweight design
- Nylon



NEW

#32717

- 188x55cm
- 3.5cm cushion thickness
- 1000g lightweight design
- Nylon

Barbecue Grill

NEW



#16374

- Foldable Design
- 237x178x175mm(Unfolded)
- Stainless Steel
- 1950g

Foldable Table

NEW



#15230

- Foldable Design
- 400x360x340mm(Unfolded)
- Aluminum
- 1kg
- Up to 40kg of weight

Camping Chair

NEW



- 680x530x490mm
- Aluminum
- 1kg
- Bag: 370x125x125mm
- Up to 120kg of weight



#40350 BLACK

#37531 KHAKI



website



Instagram



Youtube



DAYTONA

<https://daytona-europe.com>

