


DAYTONA

**HIGH PERFORMANCE PARTS AND ACCESSORIES
FOR ALL THE MOTORCYCLE LOVERS SINCE 1972**

2026-2027



DAYTONA



DAYTONA CORPORATION

4805 Ichimiya, Mori-machi,
Shuchi-gun, Shizuoka, 437-0226, Japan
<https://daytona-europe.com>

Message

Welcome to Daytona Japan!

For over 50 years, we've been passionate about creating high-quality motorcycle parts that riders love. As a top brand in Japan, we take pride in our legacy and commitment to the motorcycle community.

At Daytona Japan, we believe in enhancing every ride. Our extensive range of innovative customization parts and cutting-edge accessories is designed to elevate the riding experience for enthusiasts around the world.

Whether you're seeking performance, style, or reliability, our products are crafted to meet the diverse needs of every motorcycle and rider.

With a strong global presence, we're proud to serve customers from all corners of the world. Our mission is simple: to ensure that every rider can enjoy the thrill of the open road with confidence and excitement, powered by our reliable and exhilarating motorcycle parts.

Join us on this exciting journey and experience the Daytona Japan difference.

Happy riding!

**President
Tetsu, Oda**



VELONA80



Photo by : Schepers Motoren Design




#87789
[140]



#87790
[200]



#87791
[260]



- Stainless-steel housing
- Includes V-shaped bracket



#87792
[9000]




#87793
[15000]

- 140/200/260 km/h (MPH selectable)
- 0-20,000rpm
- 0-99,999.9km (mile)
- 1 & 2, 0-99,999.9km (mile)
- DC 10.0-18.0V
- Memory & Recall
- Integrated red LED shift indicator
- Indicators

- 0-399km/h (0-260MPH)
- 9000rpm / 15000rpm
- 0-99,999km/h(mile)
- 1 & 2, 0-99,999.9km (mile)
- DC 10.0-18.0V
- Memory & Recall
- Integrated red LED shift indicator
- Indicators

VELONA-W



#89364

- Dual-needle display (Speedometer & Tachometer)
- 200km/h (MPH)
- 0-9,000rpm
- 0-99,999.9km (mile)
- 1 & 2, 0-99,999.9km (mile)
- DC 10.0-16.0V
- Memory & Recall
- Memory & Recall
- Indicators
- Indicators
- Indicators
- Indicators

- Stainless-steel housing
- Includes V-shaped bracket



Photo by : JSL MOTO

VELONA60



Photo by : NIUS MOTO



■ SPEED (km/h or MPH)




#88641
[140]



#88642
[200]



#88643
[260]



■ RPM




#88644
[9000]





#88645
[15000]



#88677
[15000]



#87527
[15000]



VELONA60-WP



#81443



Integrated Speedometer
& Tachometer display



200 km/h (MPH selectable)



0-20,000rpm



0-99,999.9km (mile)



1 & 2, 0-99,999.9km (mile)



DC 10.0-16.0V




Digital LCD window with red backlighting




Indicators

- Aluminum housing
- Includes V-shaped bracket



VELONA48



- Stainless-steel housing
- Includes V-shaped bracket

■SPEED (km/h or MPH)



#87386
[200]



#87389
[260]

-  200 / 260 km/h (MPH selectable)
-  0-99,999.9km (mile)
-  1 & 2, 0-99,999.9km (mile)
-  DC 10.0-18.0V
-  Memory & Recall
-  Selectable 3-color backlight (White / Blue / Orange)

■RPM



#87392
[9000]

-  9000rpm
-  DC 10.0-18.0V
-  Memory & Recall
-  Integrated red LED shift indicator
-  Selectable 3-color backlight (White / Blue / Orange)

■Mount Kit for VELONA48 RPM



#81322
for HONDA CMX500 (2017-2023)



#81324
for HONDA CL500 (2023)



VELONA-Volt




8.0 ~ 16.0V



Red LED backlight automatic low-voltage alert (triggers below 12 V)

- Stainless - steel housing
- Includes V-shaped bracket



Gauge Options

■Proximity Speed Sensor



"Non-contact" type speed sensor generates an electrical pulse signal from most vehicles.

Wire length : 2000 mm
Max.current : 100 mA

#87038

■Speed Pulse Converters



Dia10 insert

TRIUMPH, HONDA,
BMW etc.
Wire length : 1280 mm

#87755



Dia18 plug connection

YAMAHA SR400/500
etc.
Wire length : 1280 mm

#87041



Dia15 insert

HONDA, SUZUKI etc.
Wire length : 1800 mm

#87143



M12 thread female

YAMAHA, SUZUKI,
DUCATI, MOTO GUZZI
etc.
Wire length : 1200 mm

#87429



For BMW

BMW boxer models
Wire length : 700 mm

R65, R80, R100,
R100GS

#88457



Universal

Wire length : 650 mm

OEM
SPEEDOMETER CABLE

#87430

■RPM Induction Wire Set



Allows easy RPM signal
detection by connecting
directly to a spark plug
wire or ignition coil.

#87170

■RPM Pulse Rectifier



Resolves weak or unstable
RPM signals when a
standard pulse cannot be
accurately detected.

#92333

■Temp Sensor (R1/8)

Wire length : 1000 mm



#80228

■Remote Control Switch

#80918 BLACK



#80919 CHROME



Allows remote operation of VELONA gauges without needing to press the built-in instrument buttons.

- Fits $\Phi 22.2 / 25.4$ mm handlebars
- Supports both internal and external handlebar wiring routing options.
- Max. current capacity: 50 mA
- Housing width: 12 mm



■Combinative Brackets for VELONA48



#87785



■Anti-vibration Brackets for VELONA60



#61197

#63526



#63527

#63528

■Combinative Brackets for VELONA60



#87403



#63529

■Adjustable Bracket of VELONA-W, VELONA80, VELONA60



#80203

- Adjustable mounting pitch range: 63–112 mm

Digital Gauge CUBE



#80920



0-399km/h or 0-250MPH



0-10,000 or 20,000rpm



0-99,999km (mile)



1 & 2, 0-9,999.9km (mile)



DC 8.0-18.0V



RPM bar scale options:
10,000 / 20,000 rpm



Blinking bar-graph alert indicator

- Aluminum housing, black anodized
- Compact size





Photo by : Kláwn Dara


Multifunction Cockpit



■DEVA



#89363



- ABS housing
- Includes stainless-steel bracket
- Includes magnetic speed sensor

0-399km/h or 0-250MPH	0-10,000 or 20,000rpm
0-99,999.9km (mile)	RPM bar-scale 10,000/20,000rpm
1&2, 0-9999.9km (mile)	Memory & Recall
0-99,999.9km (mile) Set start from any value	Bar-graph blinking
Memory & Recall	Fuel Gauge (100Ω, 250Ω, 510Ω)
8.0-18.0V	0°C ~ +150°C (+32°F ~ +356°F)
Low Battery Warning	0°C ~ +150°C (+32°F ~ +356°F)
12h or 24h	-10°C ~ +60°C (+14°F ~ +140°F)
N, 1, 2, 3, 4, 5, 6 Top 4/5/6 selectable	
	Indicators

Option



#89845
Handle clamp kit



#89846
Oil temp sensor




#89847
Air temp sensor

■ASURA



#84787



- ABS housing
- Includes clamp for Φ22.2 / 25.4 / 31.8 mm handlebars
- Includes magnetic speed sensor

0-399km/h or 0-250MPH	0-20,000rpm
0-99,999.9km (mile)	1&2, 0-999.9km (mile)
-10°C ~ +60°C (+14°F ~ +140°F)	40°C ~ +200°C (+104°F ~ +392°F)
Memory & Recall	Memory & Recall
12h or 24h	Fuel gauge sensor indicator
Low Battery Warning	Oil change interval notification alert
	Indicators

Option



#84851
Temp Sensor

Compact Gauge Series

■NANO I

- 40(W)x60(L)x17.6(D)mm
- Without backlight
- Powered by coin cell battery (CR2032)
- Detachable display unit



#85995 TEMP

- 0°C~+270°C (+32°F~+518°F)
- 0°C~+60°C (+32°F~+140°F)
- 12h
- Memory & Recall
- Low battery warning indicator

※ Incl. R1/8 sensor

■NANO II

- 40(W)x60(L)x22(D)mm
- White LED backlight
- Operates on 12V DC
- Fits Φ22.2 / 25.4 mm handlebars



#86596 SPEED

- 0-399km/h or 0-250MPH
- 0-999,999km (mile)
- 1 & 2, 0-99,999.9km(mile)
- 12h display
- Memory & Recall

※ Includes magnetic speed sensor



#86719 RPM

- 0-20,000rpm
- Resettable & Non-resettable, 0-9,999.9hours
- 12h display
- Memory & Recall



#86533 GEAR

- N, 1, 2, 3, 4, 5, 6, 7, 8
Top 4/5/6/7/8 selectable
- Bar-graph blinking

■Wireless Hour Meter

- 36(W) x 57(L) x 17.3(D)mm
- Wireless installation (no wiring required)
- Internal battery is non-replaceable
- Battery life: Approx. 4 years
- Waterproof rating: IP68



#80072 HOUR

- Total running time: 0-999,999 hours 59 minutes



LED Micro Indicator

■ GAMMA



Photo by : Kláwn Dara




#81068

- Aluminum body
- CNC Aluminum clamp
Fits $\Phi 22.2 / 25.4$ mm handlebars
- Supports both vertical and horizontal mounting orientations.

3 interchangeable lenses!




■ ALPHA



#86531 BLACK

- ABS body
- Aluminum clamp
Fits $\Phi 22.2 / 25.4$ mm handlebars
- Supports both vertical and horizontal mounting orientations.



※Real scale

Handlebar Control Switch

■3-Button Control switch



Photo by : NIUS MOTO




#81254 Chrome button



#81371 Black chrome button

- Housing: CNC aluminum
- Button: Coated ABS
- Fits $\Phi 22.2$ / 25.4 mm handlebars
- Max. current: 50 mA
- No handlebar drilling required
- Requires an external relay for operation
- Includes icon stickers



■ Switch Relay EZ




Photo by : WKND CUSTOMS

Key Features

- Compatible with both 6V & 12V systems (Operating voltage: 6–18V DC)
- Built-in turn signal relay for easy wiring
- Compact design: 75x30x20mm, made from durable ABS material
- Auto-cancel function for turn signals
- Supports up to 8 switch connections for a fully customizable setup
- Works with Daytona handlebar switches and common momentary-type switches
- Reverse current protection to prevent damage
- Waterproof (IP67) for reliable performance in all weather conditions
- CE approved

Input:

- ACC IN (Max 20A), GND IN

Outputs:

- Left and Right Turn Signals (L OUT, R OUT), max. 5A each
- Headlight (HI OUT, LOW OUT), max. 10A each
- Horn (HORN OUT), max. 10A
- Starter Relay (START OUT), max. 15A
- Accessories (ACC OUT), max. 10A
- Optional Output 1 (OPT1 OUT — for fog lights), max. 10A
- Optional Output 2 (OPT2 OUT — for pass switch), max. 10A
- Optional Output 3 (OPT3 OUT — for kill switch), max. 15A



#81255

Universal ON/OFF Switch

■Slim "CIRCLE"



#81686 Flat Seesaw

- Max. current 15A (12V-180W, 6V-90W)
- Fits $\Phi 22.2/25.4$ mm handlebars
- Thickness : 12mm
- Housing material: Nylon
- Wire length: 800mm



■Slim "EDGE"



#88159
Flat Seesaw Type

#88160
Toggle Type

- Max. current 15A (12V-180W, 6V-90W)
- Fits $\Phi 22.2/25.4$ mm handlebars
- Thickness : 13.5mm
- Housing material: Nylon
- Wire length: 800mm

■For H4 Headlight



#88162
Flat Seesaw Type

- Max. current 15A (12V-180W, 6V-90W)
- Fits $\Phi 22.2/25.4$ mm handlebars
- Thickness : 13.5mm
- Housing material: Nylon
- Compatible with H4 bulbs only
- Wire length: 900mm

■Slide Type



#71779 BLACK



#40440 YELLOW

- Size : 20×35×17mm (12V-180W, 6V-90W)
- Max. current: 12V/6V
- 100W (12V-180W, 6V-90W)
- Wire length: 800mm

D-Mirror-3

■Aluminum Housing & Stem



#89428
Bar-end mirror
1 PC



#89429
Standard mirror
1 PC

D-Mirror-4

■Aluminum Housing & Stem



#89430
Bar-end mirror
1 PC



#89431
Standard mirror
1 PC

D-Mirror-5



■Aluminum Housing & Stem



#89474
Bar-end mirror
1 PC



#89475
Standard mirror
1 PC

D-Mirror-6



■Aluminum Housing & Stem



#89722
Bar-end mirror (Short)
1 PC



#89723
Bar-end mirror (Long)
1 PC



■Aluminum Housing & Steel Stem



#89724
Standard mirror (Right)
1 PC



#89725
Standard mirror (Left)
1 PC



D-Mirror-7



■Aluminum Housing & Stem



#89726
Bar-end mirror (Short)
1 PC



#89727
Bar-end mirror (Long)
1 PC

■Aluminum Housing & Steel Stem



#89728
Standard mirror (Right)
1 PC



#89729
Standard mirror (Left)
1 PC

D-Mirror-8



■Aluminum Housing & Stem



#89730
Bar-end mirror (Short)
1 PC



#89731
Bar-end mirror (Long)
1 PC

■Aluminum Housing & Steel Stem



#89732
Standard mirror (Right)
1 PC



#89733
Standard mirror (Left)
1 PC

D-Mirror-9



■ABS Housing & Aluminum Stem



■ABS Housing & Steel Stem



#89813
Bar-end mirror (Short)
2 PCS / SET



#89814
Bar-end mirror (Long)
2 PCS / SET



#89815
Standard mirror
L / R SET

D-Mirror-10



■ABS Housing & Aluminum Stem



■ABS Housing & Steel Stem



#89816
Bar-end mirror (Short)
2 PCS / SET



#89817
Bar-end mirror (Long)
2 PCS / SET



#89818
Standard mirror
L / R SET

D-Mirror-11



■ABS Housing & Aluminum Stem



#80715 LEFT (cowl mirror)
#80716 RIGHT (cowl mirror)



#80719 LEFT
#80720 RIGHT

D-Mirror-12



■ABS Housing & Aluminum Stem




#80717 LEFT (cowl mirror)
#80718 RIGHT (cowl mirror)




#80721 LEFT
#80722 RIGHT

D-Mirror-13

■ABS Housing & Aluminum Stem




#80761
Bar-end mirror (Short)
1 PC




D-Mirror-14

■ABS Housing & Aluminum Stem



#80762
Bar-end mirror (Short)
1 PC



D-Mirror-15



■Aluminum Housing & Stem



#80799 Bar-end mirror
1 PC



*Ultra-slim housing
(4-6 mm thick!)*

D-Mirror-16



■Aluminum Housing & Stem



#80800 Bar-end mirror
1 PC



D-Mirror-17



■Aluminum Housing & Stem



#80801 Bar-end mirror
1 PC



D-Mirror-18




■ABS Housing & Nylon Stem



*Installs easily
anywhere on the handlebar
—no part removal required!*



#80917
Handlebar-clamp mirror
1 PC



D-Mirror-19




■ABS Housing & Nylon Stem

*Optimized for under-handlebar
placement to prevent fuel tank
interference.*




#81001
Handlebar-clamp mirror
1 PC




D-Mirror-20



■Aluminum Housing & Stem



#80993 Left, 1 PC
#80994 Right, 1 PC




D-Mirror-21



■Aluminum Housing & Stem



#80998 Left, 1 PC
#80999 Right, 1 PC




D-Mirror-22

■Aluminum Housing & Stem



#81073
Bar-end mirror
1 PC




D-Mirror-23

■Aluminum Housing & Stem



#81074
Bar-end mirror
1 PC



Mirror Adapters



- CNC Aluminum
- Mount Area: $\Phi 30 \times 12$ mm
- 2 PCS / SET

■ KAWASAKI



#89444

■ SUZUKI



#89443

■ YAMAHA-1



#89441

■ YAMAHA-2



#89442

■ BMW



#80863

■ UNIVERSAL for 22.2mm

* Use Adapter A for inner diameters of 13.5–16 mm, and Adapter B for 16–19 mm.



#89440

■ UNIVERSAL (ID: 19–22.5 mm)



#80996

■ Adapter for HD

- UNF 5/16-24
- Steel
- 1 PC




#87303

Mirror Hole Plug Bolt



- CNC Aluminum
- 1 PC



SIZE	RHS	LHS
RED	#99794	#99795
BLUE	#99796	#99797
GOLD	#99798	#99799
GREEN	#99800	#99801
SILVER	#99614	#99615
BLACK	#81880	#81887
TITANIUM	#99618	#99619




SIZE	RHS	LHS
BLACK	#80939	#80943
GUNMETAL	#80940	#80944
RED	#80941	#80945
ORANGE	#80942	#80946

Headlight


■CAPSULE120

- LED headlight
- Steel housing
- Dia. 120 mm lens
- Front position lamp (ring)

#88633 Side-mount



#88635 Bottom-mount




■NEO VINTAGE



- LED headlight
- Steel housing
- 5-3/4" (146 mm) lens
- Daytime Running Light (center-bar)
- Front position lamp (ring)
- Integrated opening for $\Phi 60$ mm gauge installation

#88431 BLACK
#88432 CHROME



■VINTAGE



- Steel housing
- 5-3/4" (146 mm) lens
- H4 12V 60/55W bulb with T10 5W position light
- Integrated opening for $\Phi 60$ mm gauge installation

#86903
RHS, BLACK

#86904
RHS, CHROME

#87357
RHS, BLACK & BLACK



#86982
U-shape bracket
for VELONA60 installation

Headlight Brackets

■Dual-axis Adjustable Type




- The fork clamp can be adjusted vertically, allowing forward and backward adjustment of the headlight position.

#80725 for $\Phi 35$ mm
 #80726 for $\Phi 39$ mm
 #80727 for $\Phi 41$ mm
 #80728 for $\Phi 49$ mm


- Material : CNC aluminum



- M8 indicator mount kit included




■Modern Type



SHORT

#88622 for $\Phi 35$ mm
 #88623 for $\Phi 39$ mm
 #88624 for $\Phi 41$ mm
 #88625 for $\Phi 43$ mm
 #88626 for $\Phi 49$ mm

- Material : CNC aluminum



LONG

#88617 for $\Phi 35$ mm
 #88618 for $\Phi 39$ mm
 #88619 for $\Phi 41$ mm
 #88620 for $\Phi 43$ mm
 #88621 for $\Phi 49$ mm




#88624




#88619

LED Taillight



#80930

- Housing & bracket material : zinc alloy
- Fixing hardware material : stainless-steel
- ECE approved for tail and brake light function
- M6 bolt installation
- Adjustable mounting angle




LED License Plate Lamp

- ECE approved



#88857



Slim Reflector

- Reflector area 100 x 13 mm




#87192 Bolt-on



#87193 Tape-down

LED Indicator

■D-Light MINI 1




#80758

- Zinc alloy body
- M8 bolt mounting
- ECE approved for front and rear use



■D-Light MINI 2




#80825

- Zinc alloy body
- M8 bolt mounting
- ECE approved for front and rear use




■D-Light MINI 3



#80826

- Zinc alloy body
- M8 bolt mounting
- ECE approved for front and rear use




■D-Light SOL-W



#89275
SMOKE LENS


- Aluminum body
- M8 bolt mounting
- ECE approved for rear turn signal, tail, and brake functions
- 3-in-1 multifunction light



■D-Light SOL 2



- CNC Aluminum body
- M8 bolt mounting
- ECE approved for front and rear use



#81247 ORANGE LENS



#81248 SMOKE LENS

■D-Light CLASSIC



#81043

- Aluminum body
- M8 bolt mounting
- ECE approved for front and rear use



IC Relay

■10P for HONDA (Hazard, Position and ESS)



#81442

- Power: DC 8–16V (12V nominal)
- Power range: 0.1–100W
- Direction flashes: 85 flashes/min
- Hazard flashes: 85 flashes/min
- ESS flashes: 220 flashes/min
- Position light canceller
- CE approved

Fits: CB650R/CBR650R(2024), CB125R (2024), CBR500R(2024), NX500 (2024), Hornet 500[CB500HORNET] (2024) etc..

■HONDA 8P (Hazard, Position and ESS)



#89658

- Power: DC 8–16V (12V nominal)
- Power range: 0.1–100W
- Direction flashes: 85 flashes/min
- Hazard flashes: 85 flashes/min
- ESS flashes: 220 flashes/min
- CE approved

Fits: CB500F(2019-2023), CB650R(2019-2023), CBR650R(2019-2023), CB1000R(2018-2020), CMX250/500 REBEL(2019-2024), CMX300 REBEL(2019-2021), CMX1100 REBEL(2021-2024) etc..

■Universal



#88985

- Power: DC 8–16V (12V nominal)
- Power range: 0.1–100W
- Size: 38 x 28.4 x 17.5 mm
- Flashes: 85 flashes/min
- Includes 2P-to-3P adapter harness
- CE approved

■Universal (Hazard and Position)



#89460

- Power: DC 8–16V (12V nominal)
- Power range: 0.1–100W
- Size: 38 x 28.4 x 17.5 mm
- Flashes: 85 flashes/min
- CE approved

Options for Direction Indicator

■ Fork Clamp for Indicator Mount



- CNC aluminum
- For M8 indicators
- Inner groove for discreet wiring

#89855	Φ35 mm
#89856	Φ39 mm
#89857	Φ41 mm
#89858	Φ43 mm
#89859	Φ47 mm
#89860	Φ48 mm
#89861	Φ49 mm
#89862	Φ53 mm
#89863	Φ57 mm
#89864	Φ59 mm



■ Extension



- CNC aluminum
- Outer diameter: 13 mm
- M8 female to M8 male thread conversion
- Length: 30 mm
- Sold as a pair (2 PCS)

#81045

■ Adapter Collar M10



#86994

■ Mounting Plates



#81065 BMW



#97235 KAWASAKI



#97238 HONDA



#81246 HONDA CB650R



#97398 SUZUKI



#97420 YAMAHA, KAWASAKI



#86963 SUZUKI



#86964 SUZUKI



#86965 KAWASAKI



#86987 HONDA



#86988 YAMAHA



#86989 YAMAHA

USB Power Supply



TYPE-A&C

#81323

Slim-mount USB TYPE-A & TYPE-C, dual ports

- TYPE-A: QC3.0 (Quick Charge 3.0)
- TYPE-C: USB PD (Power Delivery)
- Input: DC 12V
- Output: 5V/3A, 9V/2A, 12V/1.5A
- Max. 60W total output (30W TYPE-A, 30W TYPE-C)
- Fits $\Phi 22.2$ mm & $\Phi 25.4$ mm handlebars
- ABS housing, thickness: 12.5 mm
- Ignition-switched power activation (prevents battery drain)
- Included relay kit allows simultaneous dual-port charging
- CE approved






TYPE-C



#80400

Slim-mount USB TYPE-C × 1 port

- For USB PD (Power Delivery)
- Input: DC 12V
- Output: 5V/3A, 9V/2A, 12V/1.5A
- Max. 18W
- Fits $\Phi 22.2\text{mm}$ / $\Phi 25.4\text{mm}$ handlebars
- Ignition-switched power activation
- CE approved




TYPE-C

#80967

USB TYPE-C × 1 port

- Aluminum housing
- For USB PD (Power Delivery)
- Input: DC 12V
- Output: 5V/3A, 9V/2A, 12V/1.5A
- Max. 18W
- Fits $\Phi 22.2\text{mm}$ / $\Phi 25.4\text{mm}$ handlebars
- Ignition-switched power activation
- CE approved




TYPE-C



#80992

USB TYPE-C × 1 port

- Aluminum housing & nut
- For USB PD (Power Delivery)
- Input: DC 12V
- Output: 5V/3A, 9V/2A, 12V/1.5A
- Max. 18W
- Ignition-switched power activation
- Green LED charging status indicator
- CE approved






TYPE-C



#80399

USB TYPE-C × 1 port

- USB TYPE-C × 1 port
- For USB PD (Power Delivery)
- Input: DC 12V
- Output: 5V/3A, 9V/2A, 12V/1.5A
- Max. Output: 18W
- Ignition-switched power activation
- CE approved





TYPE-A

#81354

USB TYPE-A × 1 port

- QC3.0 (Quick Charge 3.0)
- Input: DC 12.5V (or DC 12V)
- Output: 5V/3A, 9V/2A, 12V/1.5A
- Max. 30W
- Fits $\Phi 22.2$ mm & $\Phi 25.4$ mm handlebars
- ABS housing
- Ignition-switched power activation
- CE approved




TYPE-A



#89371

Slim-mount USB TYPE-A × 1 port

- Input: DC 12V
- Output: DC 5V
- Rated current: 2.4A
- Fits $\Phi 22.2$ mm / $\Phi 25.4$ mm handlebars
- ABS housing
- Ignition-switched power activation
- CE approved




TYPE-A



#89372

Slim-mount USB TYPE-A × 2 port

- Input: DC 12V
- Output: DC 5V
- Rated current: 2.4A × 2 ports
- Fits $\Phi 22.2$ mm / $\Phi 25.4$ mm handlebars
- ABS housing
- Ignition-switched power activation
- CE approved



USB Cable for Motorcycle



- #80468 TYPE-C to TYPE-C
- #80470 TYPE-A to TYPE-C
- #80471 TYPE-A to Lightning

- L-shaped connector
- Wire length: 20 cm
- 18W (5V/3A, 9V/2A, 12V/1.5A)
- #80471 is MFi certified

Smartphone DIRECT Charging Cable



#15644 TYPE-C

- L-shaped connector
- Wire length: 800 mm (from connector to connector)
- LED status indicator
- Ignition-switched power activation

POWER

DAYTONA "DIRECT" charging cable



Smartphone Holder

■ SMARTPHONE HOLDER 4

NEW



#68909

- Width adjustable: 70–85 mm
- Length adjustable: 130–170 mm
(※ Extension arm supports lengths over 153 mm)
- Supported device depth: 6–15 mm
- Maximum load capacity: 300 g
- Universal clamp fits $\Phi 22.2$ mm, 1-inch, and $\Phi 28.6$ mm handlebars
- Durable all-metal clamp construction



■SMARTPHONE HOLDER 3



#80218 RIGID TYPE (bolt-mount clamp)
#80219 DETACHABLE (quick-release clamp)

- Width adjustable: 55–85 mm
- Length adjustable: 123–170 mm
- Supported device depth: 6–18 mm
- Maximum load capacity: 300 g
- Universal clamp fits $\Phi 22$ –29 mm handlebars

RIGID TYPE
(bolt-mount clamp)



DETACHABLE
(quick-release clamp)



■SMARTPHONE HOLDER 1



#87963 RIGID TYPE (bolt-mount clamp)
#87964 DETACHABLE (quick-release clamp)

- Width adjustable: 55–85 mm
- Length adjustable: 110–147 mm
(※ Extension arm supports lengths over 153 mm)
- Supported device depth: 6–18 mm
- Maximum load capacity: 300 g
- Universal clamp fits $\Phi 22$ –29 mm handlebars

Mount Bar Holder

- Provides additional mounting space for smartphones, GPS devices, USB chargers, or accessory switches.
- Bar diameter: 22.2 mm

■Master Cylinder Clamp Type



- #92746 BLACK, 100mm
- #77435 BLACK, 155mm
- #77434 CHROME, 155mm

■Master Cylinder Clamp Flat Type



- #92801 BLACK, 100mm
- #92802 CHROME, 100mm

■Handle Clamp Type



- #92748 BLACK, 100mm
- #92747 CHROME, 100mm
- #77437 BLACK, 155mm
- #77436 CHROME, 155mm

■Mirror Clamp Type



- #78031 BLACK, 100mm
- #78030 CHROME, 100mm

Free Combination Handle Brace



Adapter bar : 50mm



Bar : L250mm



Clamp (pair)

For	Bar 250mm	Clamp Φ22.2mm	Adapter bar 50mm
RED	#99433	#99440	#99469
SILVER	#99437	#99444	#99473
BLACK	#99438	#99445	-

Handlebar Bracket



#97253 BLACK


#98516 SILVER

- Aluminum handlebar clamp bracket
- Fits $\Phi 22.2$ mm handlebars
- Plate size: 40 x 40 mm
- Adjustable mounting angle

#77791

- ABS handlebar clamp bracket
- Fits $\Phi 22.2$ mm / $\Phi 25.4$ mm handlebars
- Plate size: 34 x 35 mm


■Type B



- #68453 : M8, 7/8" (22.2mm)
- #68459 : M8, 1" (25.4mm)
- #68456 : M10, 7/8" (22.2mm)
- #68462 : M10, 1" (25.4mm)



■Type C



- #68454 : M8, 7/8" (22.2mm)
- #68460 : M8, 1" (25.4mm)
- #68457 : M10, 7/8" (22.2mm)
- #68463 : M10, 1" (25.4mm)



Heated Grips

■ Built-in Switch, 4-level Heat Control




#81334

4-level heat control

Fits $\Phi 22.2$ mm (7/8") handlebars

Open-ended design

- Length: 125 mm (grip end can be trimmed down to 120 mm)
- Selectable heat modes (Standard / Extreme)
- Switchable low-voltage battery protection (ON / OFF)
- Thermostatic sensor maintains uniform left/right warmth
- CE approved



■ Built-in Switch, 4-level Heat Control

#88640



4-level heat control
Fits $\Phi 22.2$ mm (7/8") handlebars
Open-ended design

- CE approved



#89820



4-level heat control
Fits $\Phi 22.2$ mm (7/8") handlebars
Open-ended design

- CE approved



★ Battery Protection

※ Automatic shut-off function engages when battery voltage drops below 12V.



#81044

4-level heat control
Fits $\Phi 22.2$ mm (7/8") handlebars
Open-ended design

- CE approved



■ Built-in Switch, 3-level Heat Control



#87407
Fits $\Phi 22.2$ mm (7/8") handlebars
Open-ended design



#88019
Fits $\Phi 25.4$ mm (1") handlebars
Closed-ended design



#88020
Fits Harley-Davidson models
('96-up, '08-up)
Closed-ended design




■ 2-level Heat Control



#86607
Fits $\Phi 22.2$ mm (7/8") handlebars
Closed-ended design

■ Spare Switch



#24050

■4-level Spare Switch



#86983
Orange Button



#89650
Black Button with Clamp Kit

■Thumb warmer



#89875
For ATV Heated Grips (#88988)

■Glue



#81282
Gorilla Glue for Heated Grips


- Heatproof temperature up to 93°C
- 3 g tube (sufficient for both left and right grips)

Grip Warmer



#80583

- Voltage: 12V
- Size: 105 × 95 mm
- ON/OFF toggle switch
- Wrap-around heating elements



**Simple wrap-on
installation for instant
cold-weather comfort!**

GrippyGrip

■GGD-BASE 2 (Φ22.2mm/L123mm)



#61802
RED

NEW



#61812
BLUE

#61814
GREEN

#61815
GRAY

#61816
BLACK

■GGD-KATANA (Φ22.2mm/L125mm)



#88573
RED



#88574
BLUE

#88575
GREEN

#88579
WHITE

#88576
GRAY

■GGD-LINE (Φ22.2mm/L125mm)



#88658
RED



#88659
BLUE

#88660
GREEN

#88661
YELLOW

#88769
GRAY

■GGD-GROUND (Φ22.2mm/L122mm)



#25172
RED



#25175
BLUE

#25176
YELLOW

#25179
GRAY

#25180
BLACK

■GGD-TAPERED-SP (Φ22.2mm/L122mm)



#25162
RED



#25164
BLUE

#25166
GREEN

#25170
BLACK

#25165
YELLOW

#25168
GRAY

■GGD-BASE (Φ22.2mm/L125mm)

#88217
BLACK



#88218
GRAY



#88219
BROWN

■GGD-DELTA (Φ22.2mm/L123mm)

#88565
BLACK



#88567
DARK RED



#88566
BROWN



■GGD-NAMI (Φ22.2mm/L125mm)

#88561
BLACK




#88562
BROWN




#88563
DARK RED

■GGD-KANI (Φ22.2mm/L125mm)

#88937
BLACK



#88938
GRAY



#88939
BROWN



#88940
CARAMEL

■GGD-AMI (Φ22.2mm/L125mm)

#88569
BLACK



#88613
GRAY



#88570
BROWN



#88614
DARK BLUE



#88615
DARK GREEN



#88571
DARK RED



■ **GGD-CLASSIC2** (Φ22.2mm/L123mm)



#48063
BLACK



#48065
BROWN

#48067
RUBBER-LIKE

■ **GGD-BRIC** (Φ22.2mm/L123mm)



#48058
BLACK



#48060
BROWN

■ **GGD-CLASSIC** (Φ22.2mm/L122mm)



#33448
BLACK



#33513
BROWN

#33520
RUBBER-LIKE

■ **GGD-VINTAGE** (Φ22.2mm/L122mm)



#33445
BLACK



#33446
BROWN

#33447
RUBBER-LIKE

■ **GGD-KNIT** (Φ22.2mm/L122mm)



#33432
BLACK




#33440
BROWN

#33444
DARK RED

■ **GGD-GRID** (Φ22.2mm/L122mm)



#32727
BLACK



#32728
BROWN

#32729
DARK RED

#32731
RUBBER-LIKE

■GGD-NINJA (Φ22.2mm/L125mm)



#88663
BLACK



#88664
GRAY



#88665
BROWN

■GGD-SAKURA (Φ22.2mm/L125mm)



#88942
BLACK



#88943
GRAY



#88944
CARAMEL

■GGDM-BASE (Φ22.2mm/L125mm)



#80912
BLACK × SILVER



#80913
BROWN × SILVER

■GGDM-CROSS (Φ22.2mm/L125mm)



#80914
BLACK × BLACK



#80915
BLACK × SILVER

■GGDI-BASE (Φ25.4mm/L125mm)



#89746
BLACK



#48044
BROWN



■GGDI-KAWA (Φ25.4mm/L125mm)



#89747
BLACK



#48046
BROWN




■GGDI-GRID (Φ25.4mm/L127mm)



#47826
BLACK



#47893
BROWN



#47897
OXBLOOD RED



■GGDI-KNIT (Φ25.4mm/L127mm)



#47825
BLACK



#47901
BROWN



#47903
OXBLOOD RED



■GGDI-ARC1 (Φ25.4mm/L125mm)



#88667



■GGDI-ARC3 (Φ25.4mm/L125mm)



#88675



■GGDI-OCTA (Φ25.4mm/L125mm)



#88674



■Grip Spacer



#80561

- Material : Neoprene
- O.D. : 50mm
- I.D. : 22 or 26mm
- Thickness : 5mm
- 2pcs/set



Before

Eliminates unwanted grip gaps ↓



After

Universal Throttle Kit



#81750

- Fits 7/8" (22.2 mm) handlebars
- Cast aluminum housing
- Inner tube length: 125 mm (with cut-down lines at 110 / 115 / 120 mm)

Includes 3 interchangeable throttle reel sizes: $\Phi 36$ / 40 / 44 mm

900 mm push-pull throttle cable set included




Photo by : NIUS MOTO

Throttle Sleeve



#77240 HONDA-0



#29453 HONDA-1



#29778 HONDA-2



#70360 SUZUKI-0



#29456 YAMAHA-1



#29733 YAMAHA-2



#29470 KAWASAKI-1



#29479 KAWASAKI-2



#42577 Universal

Crash Pad



#81287

- Sold as a pair (L / R SET)
- High-density impact-absorbing pad construction
- Sleek anodized aluminum end caps



	#81287	YAMAHA	MT07 (2014-), XSR700 (2016-2023), Tracer700 (2016-2020), R7 (2022-2024)
NEW	#82153	YAMAHA	MT-03(2016-2025), MT-25(2016-2025)
	#81079	KAWASAKI	Z900 (2017-), Z900RS/RS SE/CAFE(2018-2025)
	#81345	KAWASAKI	Z650 (2017-), Ninja650 (2017-2024), Z650RS (2021-2024)
NEW	#82152	KAWASAKI	ELIMINATOR(2024)
	#81346	HONDA	CMX500 Rebel [S] (2017-), CL500 (2023-)
	#81347	HONDA	CB650R (2019-2024), CB650R E-CLUTCH(2024)
NEW	#82148	HONDA	CB1000F SE(2026), CB1000 HORNET SP(2025)
NEW	#82151	SUZUKI	GSX-8S(2023), GSX-8T(2025), GSX-8TT(2025)

Master Cylinder Tank Cap



■ For BMW



#80834



#80836



#80838



#80835



#80837



#80839



#80840

- #80834 R1250GS, R1200GS
- #80836 R1250GS, R1200GS
- #80838 R1250GS, R1200GS
- #80835 R NINE T, F850GS
- #80837 R NINE T
- #80839 R NINE T
- #80840 F850GS

- Dual-tone contrast anodizing
- CNC Aluminum construction
- Retains factory OEM diaphragm
- Patented design

■For KAWASAKI, **Z650, Z900 etc.**



#80634 GREEN



#80635 BLACK

■For NISSIN



#80636 GREEN Φ42



#80637 BLACK Φ42

■For NISSIN



SIZE	Φ38	Φ42	Φ59
RED	#92737	#92732	#92727
BLUE	#92738	#92733	#92728
GOLD	#92739	#92734	#92729
GREEN	#92740	#92735	#92730
SILVER	-	#92736	-



Swingarm Spool



NEW



SIZE	M6	M8
BLACK	#61525	#61539
SILVER	#61527	#61541
RED	#61529	#61543
GREEN	#61531	#61545
BLUE	#61533	#61547
GOLD	#61535	#61549
GUNMETAL	#61537	#61551

Oil Filler Cap



#80638 GREEN
M20×P2.5



#80639 BLACK
M20×P2.5



SIZE	M20× P2.5
RED	#98399
BLUE	#98400
GOLD	#98401
GREEN	#98402
SILVER	#98403
BLACK	#98404

Handlebar End Plug

■ “RING”




Can also be used as a bar-end mirror adapter.



- Fits internal diameters (I.D.): 14–19 mm
- Outer diameter: $\Phi 31$ mm
- Mirror mounting surface: $\Phi 30$ mm
- Dual-purpose design (bar plug & mirror mount)

#81228 BLACK
#81229 CHROME




■ “W”




- Fits internal diameters (I.D.): 14–19 mm
- Outer diameter: $\Phi 31$ mm
- Mirror mounting surface: $\Phi 30$ mm
- Dual-purpose design (bar plug & mirror mount)

#81174 BLACK
#81175 RED
#81176 ORANGE



■“TKM-2”



- For I.D. 14-19mm
- Outer Diameter 30mm
- Dual Anodizing

#87331 RED

#87332 BLUE

#88059 ORANGE



■“COMPASS”



- For I.D. 14-19mm
- Outer Diameter 30mm

#80897 RED

#80898 BLUE

#80899 SILVER

#80900 ORANGE



■“BULLET”



- For I.D. 14-19mm
- Outer Diameter 30mm

#80911 GUNMETAL

#98374 BLACK



■“PINO-3”



- For I.D. 14-19mm
- Outer Diameter 30mm

#99981 : RED

#99982 : BLUE

#99983 : CHAMPAGNE

#99984 : GREEN

#99985 : SILVER

#99986 : BLACK



Aluminum Meter Visor



VISOR ONLY




#81349 Black

BACKSIDE

[mm] #81998 Silver

NEW



	Model	Black Visor & Bracket set	Silver Visor & Bracket set	Bracket only
BMW	R NINET	#81716	#82102	#81350
HONDA	GB350/S (21-25)	#81908	#82123	#81906
	CB650R (19-23)	#81717	#82103	#81470
	CMX500 (17-19)	#81718	#82104	#81471
	CMX500 (20-23)	#81719	#82105	#81472
	DAX125 (23-25), MONKEY125 (18-25)	#81720	#82106	#81473
YAMAHA	SR500 (78-08), SR400F (10-21)	#81722	#82109	#81439
	XSR900 (22-24)	#81721	#82107	#81474
KAWASAKI	ELIMINATOR (24-25)	#81909	#82124	#81907
	W230	#81732	#82121	#81731
	W650 (99-08)	#81724	#82115	#81476
	W800 (11-16)	#81723	#82110	#81475
	Z900RS (18-25)	#81725	#82116	#81477
TRIUMPH	BONNEVILLE	#81726	#82122	#81411

BMW
R NINET

#81350 Bracket only



HONDA
GB350/S (21-25)

#81906 Bracket only

NEW



HONDA
CB650R (19-23)

#81470 Bracket only



HONDA
CMX500 (17-19)

#81471 Bracket only



HONDA
CMX500 (20-23)

#81472 Bracket only



HONDA
DAX125 (23-25),
MONKEY125 (18-25)

#81473 Bracket only



YAMAHA
SR500 (78-08),
SR400F (10-21)

#81439 Bracket only



YAMAHA
XSR900 (22-24)

#81474 Bracket only



KAWASAKI
ELIMINATOR (24-25)

#81907 Bracket only

NEW



KAWASAKI
W230

#81731 Bracket only



KAWASAKI
W650 (99-08)

#81476 Bracket only



KAWASAKI
W800 (11-16)

#81475 Bracket only



KAWASAKI
Z900RS (18-25)

#81477 Bracket only



TRIUMPH
BONNEVILLE

#81411 Bracket only



HenlyBegins **Seat Bag**

※HenlyBegins is a brand owned by Daytona Japan.



- | | | | |
|-------------------------------------|----------------|------------------------|---------------------|
| ① #96719 (Black) / ⑤ #29783 (Khaki) | 20~26 ℓ | W(300~400)×D300×H200mm | Loading Weight 7kg |
| ② #96720 (Black) / ⑥ #29784 (Khaki) | 33~42 ℓ | W(490~610)×D275×H225mm | Loading Weight 8kg |
| ③ #96721 (Black) / ⑦ #29785 (Khaki) | 44~60 ℓ | W(410~570)×D320×H300mm | Loading Weight 10kg |
| ④ #97980 (Black) / ⑧ #29786 (Khaki) | 53~70 ℓ | W(525~685)×D320×H300mm | Loading Weight 14kg |

- Polyester construction
- Rain cover included
- Expandable capacity design





#19437

DH-747 5.5 ℓ

- W220×D295×H165mm
- Material: PC & Polyester
- Rain cover included
- Max. Load Capacity: 5.5 kg



#95741 (BLACK)
#95734 (CARBON × BLACK)
#95735 (RED)

DH-708 4 ℓ

- W250×D285×H110mm
- Material: Synthetic Leather & Polyester
- Rain cover included
- Max. Load Capacity: 5 kg



#97087

DH-723 6 ℓ

- W250×D300×H185mm
- Material: Synthetic Leather & Polyester
- Rain cover included
- Max. Load Capacity: 5 kg



#96043

DH-710 7 ℓ

- W235×D280×H145mm
- Material: Synthetic Leather & Nylo
- Rain cover included
- Max. Load Capacity: 5 kg



#97241

DH-722 7~12 ℓ

- W250×D345×H(150~220)mm
- Material: Polyester
- Expandable capacity design
- Rain cover included
- Incl. shoulder strap
- Max. Load Capacity: 5 kg



#98661

DH-731 13~26 ℓ

- W280×D345×H(190~310)mm
- Material: Polyester
- Expandable capacity design
- Rain cover included
- Incl. shoulder strap
- Max. Load Capacity: 5 kg




2-way



#48147 (polyester)
#48148 (tarpaulin)

DH-768 / 769 **20ℓ**

- W440×D300×H170mm
- Rain cover included
- Includes easy-ring mounting belt
- Max. Load Capacity: 5 kg



Waterproof!



#48385 (BLACK)
#48389 (GRAY)
#48390 (YELLOW)

#41380 (BLACK)
#48383 (GRAY)
#48384 (YELLOW)

DH-772 **40ℓ**

DH-767 **60ℓ**

- W530×D300×H270mm
- Max. Load Capacity: 10kg
- Material: Tarpaulin Fabric
- Fully Waterproof construction
- Includes shoulder strap and mounting straps

- W550×D330×H350mm
- Max. Load Capacity: 14kg

Backpack



2-way



Waterproof!



#41379 (BLACK)
#48379 (GRAY)
#48380 (YELLOW)

DH-766 **30ℓ**

- Φ300×L450mm
- Material: Tarpaulin Fabric
- Max. Load Capacity: 7 kg
- Fully Waterproof construction
- Includes shoulder strap and mounting straps

Henly Begins Saddle Bag

※Henly Begins is a brand owned by Daytona Japan.



#40412 LEFT



#40413 RIGHT

11 ℓ W420xD150xH245mm
Max. Load Capacity: 5 kg



①



②



③



④



⑤



⑥



⑦



⑧



⑨




⑩

Max. Load Capacity

9 ℓ	W360xD130xH200	5kg	①#96906 (DHS-1)
10 ℓ	W360xD260xH270	5kg	②#32679 (DHS-29), ③#32680 (DHS-30, DIAMOND)
12 ℓ	W420xD150xH245	5kg	④#40262 (DHS-36), ⑤#40263 (DHS-37, DIAMOND)
12 ℓ	W360xD10xH270	5kg	⑥#96907 (DHS-2), ⑦#24364 (DHS-21, DIAMOND)
13 ℓ	W280xD170xH300	5kg	⑧#18994 (DHS-18)
18 ℓ	W400xD150xH300	5kg	⑨#96909 (DHS-4)
22 ℓ	W430xD160xH320	5kg	⑩#18996 (DHS-19)

- Material: Synthetic Leather & Polyester
- Rain cover included






#90557 **DHS-13** 10 ℓ W350×D100×H280mm

Max. Load Capacity: 2 kg

#99702 **DHS-10** 15 ℓ W365×D135×H320mm

Max. Load Capacity: 2 kg

● Material: Polyester



#99703 **DHS-11** 20 ℓ W350×D100×H280mm

Max. Load Capacity: 2 kg per side

#99704 **DHS-12** 30 ℓ W360×D140×H315mm

Max. Load Capacity: 2 kg per side

● Material: Polyester



#21774 **DHS-20** BLACK 10 ℓ W360×D120×H270mm

#30849 **DHS-28** KHAKI 10 ℓ W360×D120×H270mm

● Max. Load Capacity: 2 kg ● Material: Polyester

HenlyBegins Tool Bag

※HenlyBegins is a brand owned by Daytona Japan.



#98771 **DHS-7** 1.5 ℓ W250×D75×H105mm Max. Load Capa

#98773 **DHS-8** 2 ℓ W255×D65×H130mm Max. Load Capa

• Material: Polyester

Under-seat Storage Pocket for Scooters



#93000
SMALL (250x320)



#93001
MEDIUM (270x320)



#93002
LARGE (270x400)

- For scooters
- Mounts securely using included self-tapping screws
- Max. Load Capacity: 1 kg




Daytona Outdoor

Compact & Light Camping Goods for Riders

■MAEHIRO DOME E

NEW




#65310

- W370×D220×H140cm
- Inner tent size: 130 × 210 cm
- Packed storage size: Φ24×48 cm
- Weight: 4.2 kg
- Flysheet material: Nylon
- Poles: Aluminum
- Waterproof rating: 3,000 mm

■MAEHIRO DOME Extra


NEW



#61263

- W395×D240×H185cm
- Inner tent size: 160×230 cm
- Packed storage size: Φ28 × 48 cm
- Weight: 6.6 kg
- Flysheet material: Nylon
- Poles: Aluminum
- Waterproof rating: 3,000mm


■MAEHIRO DOME DUO



#49665

- W345×D230×H150cm
- Inner tent size: 300x220cm
- Packed storage size: Φ20 × 45 cm
- Weight: 4.2 kg
- Flysheet material: Nylon
- Poles: Aluminum
- Waterproof rating: 3,000mm


■MAEHIRO DOME PLUS



#48341

- W260×D220×H143cm
- Inner tent size: 120×210 cm
- Packed storage size: Φ18 × 44 cm
- Weight: 3.7 kg
- Flysheet material: Nylon
- Poles: Aluminum
- Waterproof rating: 3,000mm

■MAEHIRO SHELTER



#44223

- W330×D280×H160cm
- Packed storage size: Φ10 × 44 cm
- Weight: 1.35 kg
- Flysheet material: Nylon
- Poles: Aluminum
- Waterproof rating: 3,000mm

■Ground Sheet



#46250

- Fits tent model #49665
- Dimensions: 220×150 cm
- Packed storage size: 18 × 21 cm
- Weight: 300 g
- Material: Polyester



#39569

- Fits tent model #48341
- Dimensions: 210×20 cm
- Packed storage size: 18 × 21 cm
- Weight: 240 g
- Material: Polyester

■Aluminum Forged Peg



#37028

- 200mm
- 53g



#37800

- 300mm
- 75g

■Peg Hammer



#48208 BEECH-STL(BK)

- W3×D5×H25cm
- Weight: 550 g
- Head: Steel
- Handle: Beechwood



#48206 WALNUT-SUS

- W3×D5×H25cm
- Weight: 550 g
- Head: Stainless steel
- Handle: Walnut



NEW

#64012 ABS-STL(BK)

- W3×D5×H25cm
- Weight: 550 g
- Head: Steel
- Handle: ABS



■Inflatable Mat



① #35467 (thickness 3.5cm)

② #46247 (thickness 5.0cm)

• W183×D53cm

• Packed storage size:

① Φ14.5 × 27 cm / ② Φ17 × 27 cm

• Weight: ① 680 g / ② 880 g

• Feature: Detachable cushion section

• Material: Nylon



■Air pillow



#34251

• 42×27cm

• Packed storage size: 11 × 17 cm

• Weight: 72 g

• Material: Polyester



■HIGH BACK LOW CHAIR

NEW



#60508 KHAKI

#39221 BLACK

- W55×D69×H74cm
- Storage size W12×D43×H13cm
- Weight: 1400g
- UWeight capacity: 120 kg
- Material: Polyester & Alumin



■WIDE/REST CHAIR

NEW



#60895 KHAKI

#60894 BLACK

- W85×D56×H67cm
- Storage size W12×D15×H41cm
- Weight: 1500g
- Weight capacity: 120 kg
- Material: Polyester & Alumin



■Chisel



#39610

- W6.5×D1.5×H15cm
- Weight: 390 g
- Material: Steel

■Square Kettle



#37008

- W14.7×D14.7×H5.6cm
- Weight: 220 g
- Capacity: 450 ml
- Body: Aluminum / Handle: Stainless steel / Handle cover: Silicon / Lid handle: Brass

■Clip Cooker




#35461

- W16.6×D11.1×H7cm
- Storage size W17.5×D12×H9cm
- Weight: 410 g
- Feature: Detachable handle included
- Pot: 16.6 x 11.1 x 7 cm (1.2 mm thick), 900 ml capacity
- Frying pan: 17.3 x 11.8 x 2.8 cm (1.5 mm thick), 300 ml capacity
- Material: Hard-anodized aluminum alloy
- Frying pan surface: Non-stick coating



Cleaning tools **NEW**

■Flexible Engine Brush



#16941

- Length: 440mm (handle: 121mm, brush: 240mm)
- Brush diameter: $\Phi 63$ mm

※ Do not use on painted surfaces.

■Flexible Wheel Brush



#16942

- Length: 425mm (handle: 121mm, brush: 250mm)
- Brush diameter: $\Phi 70$ mm

※ Do not use on painted surfaces.

■Brush For Chain

- Always turn off the engine before performing maintenance.

[Side type Small]



#61389

- Total length: 260 mm (including brush)
- Recommended for chain sizes #415 to #428

■Brush For Wheel Spokes



#61394

- Total length 230mm (including brush)

[Side type Big]



#61390

- Total length: 260 mm (including brush)
- Recommended chain sizes: #520 to #630

[Straight type]



#61391

- Total length: 280 mm (including brush)
- Recommended chain sizes: #520—#630

[L-shaped type]



#61393

- Total length: 240 mm (including brush)

■Carburetor Cleaning Brush



#15614

- Wire length: 100 mm
- Brush diameter: 2.5 mm, 3.5 mm, 4.5 mm, 5.5 mm, 6.5 mm
- Wire diameter: 0.9 mm, 0.9 mm, 1.1 mm, 1.3 mm, 1.3 mm

※ Use caution to avoid scratching surfaces with the wire tips during use.

■Carburetor Pin Cleaner



#75252

- Wire diameters: 0.4mm, 0.45mm, 0.5mm, 0.55mm, 0.6mm, 0.65mm, 0.8mm, 1.1mm, 1.2mm, 1.6mm
- Sizes 0.4 to 0.65 have needle-like tips, Sizes 0.8 to 1.6 have tapered tips.

Fuel Hose (1M)

■2-layered Fuel Hose



- #96460 $\Phi 4 \times \Phi 8$ mm, 1M
- #96461 $\Phi 5 \times \Phi 10$ mm, 1M
- #96462 $\Phi 6 \times \Phi 10$ mm, 1M
- #96463 $\Phi 8 \times \Phi 13$ mm, 1M
- #96464 $\Phi 10 \times \Phi 15$ mm, 1M
- 2-layered construction
- Pressure capacity: 1.0 MPa
- Heatproof temperature: 100°C
- Includes 5 PCS of clips



- ✗ Not for brake fluid.
- ✗ Not compatible with fuel-injected models.

■Hose Clamp



- | | | | |
|--------|--------------|-------------------|--------------|
| #91238 | $\Phi 6$ mm | #91244 | $\Phi 12$ mm |
| #91239 | $\Phi 7$ mm | #91245 | $\Phi 13$ mm |
| #91240 | $\Phi 8$ mm | #91246 | $\Phi 14$ mm |
| #91241 | $\Phi 9$ mm | | |
| #91242 | $\Phi 10$ mm | • 2pcs / set | |
| #91243 | $\Phi 11$ mm | • Material: Steel | |

■Hose Clip



- | | | |
|--------|--------------|-------------------|
| #91420 | $\Phi 6$ mm | • 10pcs / set |
| #91422 | $\Phi 8$ mm | • Material: Steel |
| #91423 | $\Phi 9$ mm | |
| #91424 | $\Phi 11$ mm | |
| #91425 | $\Phi 13$ mm | |

■Fuel Hose Stopper



- #91110
- For hose outer diameter up to 15 mm
- ✗ Not compatible with vacuum-operated petcocks.
- ✗ Not compatible with fuel-injected models.

Silicone Tray



- Foldable
- Magnet embedded at bottom



- #31021 ROUND
Dia.127 mm, height 23-56 mm



- #31022 SQUARE
126x120 mm, height 25-60 mm

Connector & Terminal Set



#96167

TYPE110

#96167 (2-pole)
#96168 (3-pole)
#96169 (4-pole)
#96170 (6-pole)
#96171 (9-pole)



#96172

TYPE250

#96172 (2-pole)
#96173 (3-pole)
#96174 (4-pole)
#96175 (6-pole)



#96182

TYPE HM

#96182 (2-pole)
#96183 (3-pole)
#96184 (4-pole)
#96185 (6-pole)



#96176

TYPE HM [waterproof]


#96176 (2-pole)
#96177 (3-pole)
#96178 (4-pole)
#96179 (6-pole)



#96180

TYPE MT [waterproof]

#96180 (3-pole)
#96181 (4-pole)



#96303

Terminal Set for HM/MT waterproof connector

Male terminal x 30
Female terminal x 30
Wire seal x 60



Bullet Terminal Set

TYPE CA/CB103
#96153 Set of 30
#96155 Set of 5

TYPE CA/CB104
#96156 Set of 30
#96157 Set of 5

For KAWASAKI
#96158 Set of 30



Bullet Terminal Set [waterproof]

TYPE CA/CB103
#41220 Set of 20
#61938 Set of 5


TYPE CA/CB104
#41221 Set of 20
#61939 Set of 5



#96187

Connector Set TYPE 250 [Reverse Lock]

#96187 (2-pole)
#96188 (3-pole)
#96189 (4-pole)
#96190 (6-pole)



#96186

Connector Set for H4 Bulb

TYPE H4
male connector x 1
female connector x 1

TYPE 305
male terminal x 3
female terminal x 3

■Connector Set for Turn Signal



#96191 (2-pole)
HONDA-A
LIGHT BLUE



#96192 (2-pole)
HONDA-A
ORANGE



#96300 (2-pole)
HONDA-B
LIGHT BLUE



#96301 (2-pole)
HONDA-B
ORANGE



#96302 (3-pole)
HONDA-B
WHITE



#96193 (2-pole)
SUZUKI
BLACK



#96194 (2-pole)
SUZUKI
GRAY



#96195 (2-pole)
SUZUKI
WHITE



#96199 (2-pole)
KAWASAKI
BLACK



#96200 (2-pole)
KAWASAKI
GRAY



#15414 (2-pole)
KAWASAKI
TYPE 040-HX series

■Connector Cover Boot



#96206
Φ8xΦ22x70



#96207
Φ16xΦ37x84

#96208
Φ27xΦ42x84

■Mini Fuse Holder



#96231
Mini fuse (10A)x2
24x30x24

OEM-colored wire

■SQ 0.75 (14A/12V) x 2M

#93181 RED	#93182 BLACK
#93183 GREEN	#93184 LIGHT BLUE
#93185 ORANGE	#65986 BLUE
#93187 WHITE	#93188 YELLOW
#93189 GREEN/ YELLOW	#93190 BROWN
#93191 LIGHT GREEN	#93192 BLACK/ WHITE
#93193 WHITE/ BLACK	#93194 GRAY
#93195 BLACK/ YELLOW	#93196 RED/ BLACK
#93197 RED/ YELLOW	#93198 BLACK/ BROWN
#93199 ORANGE/ WHITE	
#93200 LIGHT BLUE/ WHITE	

■SQ 1.25 (20A/12V) x 1M


#93201 RED	#93203 BLACK
#93202 GREEN	

■SQ 2.0 (26A/12V) x 1M

#93204 RED	#93206 BLACK
#93205 GREEN	

■SQ 0.5 (11A/12V) x 2M

#65097 RED	#65098 BLACK
#65099 GREEN	



Color	Brand	Usage
RED	UNIVERSAL	
BLACK		
GREEN		
LIGHT BLUE		
ORANGE	HONDA	Winker (Right)
BLUE	HONDA	Winker (Left)
WHITE	HONDA	Headlight (High Beam)
YELLOW	HONDA	Headlight (Low Beam)
GREEN/YELLOW	YAMAHA	Headlight (High Beam), Taillight
BROWN	YAMAHA	Taillight
LIGHT GREEN	SUZUKI	ACC Wire
BLACK/WHITE	SUZUKI	Winker (Right)
WHITE/BLACK	SUZUKI	GND Wire
GRAY	SUZUKI	Taillight
BLACK/YELLOW	KAWASAKI	Winker (Right)
RED/BLACK	KAWASAKI	GND Wire
RED/YELLOW	HONDA	ACC Wire
BLACK/BROWN	KAWASAKI	Headlight (High Beam)
ORANGE/WHITE	KAWASAKI	Headlight (Low Beam)
LIGHTBLUE/WHITE	HONDA	ACC Wire
	HONDA	Position Light

Grip Bandage



- #81245
- Material : EPDM
 - 1050mm x 2pcs
 - Incl. fixing tape



Seat Repair Sticker




- 84705 (M-BLACK)
- 84708 (BLACK)
- 84706 (M-BROWN)
- 84709 (BROWN)
- 84707 (M-BEIGE)
- 84710 (BEIGE)

110x170mm
※ M- ▶ matte

Protection Sticker



#69803




①

②

- ① #69803 (CLEAR)
 - ② #69816 (BLACK)
- 130x200mm

Anti-slip Sticker



①

②

③

- ① #17381 (PLAIN)
- ② #17391 (SLOT)
- ③ #17389 (HONEYCOMB)

Helmet Lock



#81687 WITH CABLE
#81688 WITHOUT CABLE

- Material: Zinc alloy
- Dial-type combination lock
- Thickness: 12 mm (requires 13mm of handlebar clearance)
- Vertical slide mechanism
- Fits $\Phi 22.2 / 25.4 / 28.6$ mm handlebars
- Includes $\Phi 4.6 \times 500$ mm wire cable (#81687 only)



Front Lever Lock



#97636 (ORANGE)
#97637 (BLACK)
#97638 (GREEN)
#97639 (RED)

- Grip-mounted security lock
- Internal Diameter (I.D.): 36 mm

License Number Plate Holder (Germany)



#89854

- Material: Aluminum
- Finish: Anodized black
- Fits standard German 180×200 mm license plates



Adjustable Rear Stand



#27934

- 9-position height adjustment
- Includes L-shape & U-shape swingarm adapters
- Height range:
- L-adapters: 218–319 mm
- U-adapters: 242–342 mm
- Load capacity: 200 kg



Adjustable Front Fork Stand



#29769

- 9-position height adjustment
- Height range: 242–343 mm
- Load capacity: 200 kg



Adjustable Lift Stand



#29980

- Maximum lift height: 270 mm
- Width range: 235–360 mm
- Load capacity: 200 kg
- Adjustment wrench included



Compact Wheel Balancer



#21798

- Compatible with wheels up to 21" (Max. rim width: 6.0J / Max. tire size: 190)
- Fits shaft diameters: $\Phi 10$ mm



DAYTONA **デイトナ**

website



<https://daytona-europe.com>

Instagram



https://www.instagram.com/daytona_europe/

Youtube



https://www.youtube.com/@daytona_europe

